

Bentzen Collection

52 Inch Bentzen Fan

300118AP (Antique Pewter)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_


Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	12.75	11.00	13.00	6.61

Available Finishes

Product Information

Product ID	300118AP
Finish	Antique Pewter
Blade Finish	Light Cherry/Dark Cherry
Collection	Bentzen Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	180	5995	93	.54	64
Med	120	3761	126	.37	30
Low	66	1986	186	.22	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Bentzen Collection

52 Inch Bentzen Fan

300118AP (Antique Pewter)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300118AP		LIGHT CHERRY	DARK CHERRY
Oil Brushed Bronze	300118OBB		MEDIUM CHERRY	WALNUT
Matte White	300118MWH		MATTE WHITE	MATTE WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	23.1 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Bentzen Collection

52" Bentzen Ceiling Fan MWH

300118MWH

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Product Information

Product ID	300118MWH
Blade Finish	Matte White/Matte White
Collection	Bentzen Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	180	5995	93	.54	64
Med	120	3761	126	.37	30
Low	66	1986	186	.22	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box



Dimensions



Bentzen Collection

52" Bentzen Ceiling Fan MWH

300118MWH

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300118AP		LIGHT CHERRY	DARK CHERRY
Oil Brushed Bronze	300118OBB		MEDIUM CHERRY	WALNUT
Matte White	300118MWH		MATTE WHITE	MATTE WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	23.1 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Bentzen Collection

52 Inch Bentzen Fan

300118OBB (Oil Brushed Bronze)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Product Information

Product ID	300118OBB
Finish	Oil Brushed Bronze
Blade Finish	Medium Cherry/Walnut
Collection	Bentzen Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	180	5995	93	.54	64
Med	120	3761	126	.37	30
Low	66	1986	186	.22	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	12.75	11.00	13.00	6.61

Available Finishes

Bentzen Collection

52 Inch Bentzen Fan

300118OBB (Oil Brushed Bronze)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300118AP		LIGHT CHERRY	DARK CHERRY
Oil Brushed Bronze	300118OBB		MEDIUM CHERRY	WALNUT
Matte White	300118MWH		MATTE WHITE	MATTE WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	23.1 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP