66 x 36 x 23 inches





# FEATURES ~

- Ergonomic bathing well
- 2-piece freestanding design
- Cast acrylic surface
- Limited 10-year warranty







# ARYA 6636CF

66 x 36 x 23

BASE MODEL	PKG. WT. LBS.	DRAIN	MODEL #	MSLP
□ Soaker	155	Center Front	W586636FT0	\$2,228



OPTIONS (x = insert desired option code)	ENTER DESIRED OPTION CODE	MSLP
Drain trim upgrade (FDxx): Brushed Nickel (SN) Oil Rubbed Bronze (OB)		\$75
Rush order program* (DELQK)		\$325
Residential delivery* (DELRD)		\$205
Residential delivery with lift gate* (DELLG)		\$454
*For program terms and conditions, see pg. iii.		
BASE PRICE (insert MSLP of base model selected in upper table) +	·\$	
OPTIONS SUB TOTAL	\$	
ORDER TOTAL =	\$	

# **BUILDERS' CHOICE**

### **PRODUCT FEATURES**

- $\cdot\, \text{2-piece freestanding design}$
- · 2- person bathing
- · Integral linear overflow
- · Drain kit (chrome standard, included)
- · White only

For series features see section page.

## **ORDERING KEY**

In the part number, "xx" means an option code must be inserted.

Cast Acrylic stock color (COLxx): ← part number

option code → White (WH)

**Example:** COLxx + WH = COLWH
Cast Acrylic stock color in White

Manufacturer reserves the right to discontinue models, colors, options and trim finishes without notice.


Customer Name: \_\_\_\_\_\_Additional Information:

Date:





# ARYA 6636CF


 $66 \times 36 \times 23$  inches











Rev. 11.10.17

FEATURES Dimensional Tolerance ± 3/8". Dimensions needed for site preparation should be measured from the unit. Manufacturer assumes no responsibility for preparatory work.

Type and Model #W	Material	Drain	Pkg. Wt.
Soaker #W586636FTO	Acrylic	Center Front	155

#### DIMENSIONS inches

Width	Depth	Height	Skirt Height
66	36	23	-

#### SUMP DATA inches

Capacity to Overflow	Min. Operating	WIDTH @ centerline		DEPTH @	DEPTH @ centerline	
gal	Capacity —	Тор	Bottom	Тор	Bottom	
70	-	56	41 1/8	27 1/4	24 1/8	

### PLUMBING DIMENSIONS inches

А	<b>Drain</b> Diameter / Clearance		
10	2/3		