

Indeco Collection
Indeco Wall Sconce 1 Light LED PN
 45686PNLED (Polished Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Dimensions

Height	14.50"
Width	5.00"

Ordering Information

Product ID	45686PNLED
Finish	Polished Nickel
Available Finishes	NBR, PN
Collection	Indeco Collection

Dimensions

Extension	3.75"
Height from center of Wall opening	12.00"
Base Backplate	5.00 DIA
Weight	2.00 LBS

Photometrics

Kelvin Temperature	3000 K
Color Rendering Index	90

Specifications

Material	Aluminum
Diffuser Description	Satin Etched White

Electrical

Dimmable	Yes
Voltage	120 V

Qualifications

Safety Rated	Damp
Energy Star	Yes
ADA Compliant	Yes
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Installation

Install Glass Up or Down	Yes
--------------------------	-----

Primary Lamping

Light Source	LED
Lamp Included	Integrated
# of Bulbs/LED Modules	1
Delivered Lumens	1090
Initial Lumens	1138
Delivered Efficacy	68
Dimming	Yes

Indeco Collection

Indeco Wall Sconce 1 Light LED NBR

45686NBRLED (Natural Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	14.50"
Width	5.00"

Ordering Information

Product ID	45686NBRLED
Finish	Natural Brass
Available Finishes	NBR, PN
Collection	Indeco Collection

Dimensions

Extension	3.75"
Height from center of Wall opening	12.00"
Base Backplate	5.00 DIA
Weight	2.00 LBS

Photometrics

Kelvin Temperature	3000 K
Color Rendering Index	90

Specifications

Material	Aluminum
Diffuser Description	Satin Etched White

Electrical

Dimmable	Yes
Voltage	120 V

Qualifications

Safety Rated	Damp
Energy Star	Yes
ADA Compliant	Yes
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Installation

Install Glass Up or Down	Yes
--------------------------	-----

Primary Lamping

Light Source	LED
Lamp Included	Integrated
# of Bulbs/LED Modules	1
Delivered Lumens	1090
Initial Lumens	1138
Delivered Efficacy	68
Dimming	Yes

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.