CRAFTMADE



60" Ceiling Fan with Blades and Light Kit



A stunning composition in polished metal and rich wood tones, the Tyrod offers a supremely modern interpretation of ceiling fan design. Unique gullwing blades finished in rich classic walnut set off by polished rods spanning their entire length whirl quietly about a sleek housing of impeccable workmanship, imparting a feel of advanced aircraft design. The 6-speed DC motor and integrated LED downlight deliver extraordinary energy efficiency.

- Energy Saving, 6-Speed Reversible DC Motor
- 6" Downrod (Included)
- 60" Blades in Classic Walnut (Included)
- Integrated Light Kit (1-13W LED Bulb Included)
- DC Remote & Wall Controls Included
- Tri-Mount = (Flat or sloped ceiling downrod mount, or semi-flushmount)
- Sophisticated DC Motor requires automatic 7-minute calibration period upon installation. The remote and wall controls are inoperable during that time, after which the fan, remote control and wall control (if applicable) with be fully operational.
- · Remote On/Off or Dimming

Specs

Blades 4 Blade Pitch (deg) 20-30 Motor Size (MM) 125x30 Amps at High Speed 0.47 Watts (Hi Speed) 32.30 Energy Guide Watts 22 Energy Guide CFM 5291 Energy Guide CFM) 5291	Blade Sweep Opt (in.)	60
Motor Size (MM)125x30Amps at High Speed0.47Watts (Hi Speed)32.30Energy Guide Watts22Energy Guide CFM5291Energy Guide CFM_Watts164	Blades	4
Amps at High Speed 0.47 Watts (Hi Speed) 32.30 Energy Guide Watts 22 Energy Guide CFM 5291 Energy Guide CFM_Watts 164	Blade Pitch (deg)	20-30
Watts (Hi Speed) 32.30 Energy Guide Watts 22 Energy Guide CFM 5291 Energy Guide CFM_Watts 164	Motor Size (MM)	125×30
Energy Guide Watts 22 Energy Guide CFM 5291 Energy Guide CFM_Watts 164	Amps at High Speed	0.47
Energy Guide CFM 5291 Energy Guide CFM_Watts 164	Watts (Hi Speed)	32.30
Energy Guide CFM_Watts 164	Energy Guide Watts	22
-	Energy Guide CFM	5291
High Speed (CFM) 5291	Energy Guide CFM_Watts	164
	High Speed (CFM)	5291

Low Speed (CFM)2780Shipping Weight (lbs.)21.96Carton Size (CU FT)2.79Bulb CCT3000Bulb Wattage13CRI83.70


Light Kit Options Integrated Light Kit

Lumens 1300

Finish Polished Nickel

Dimensions


A:	18.19
B:	15.33
C:	7.45
D:	5.96
E:	10.58
H:	5.96
l:	10.58
F: w/o Light Kit -	10.58
Downrod Length (in.)	6



Downloads

Tyrod - TRD6oPLN4





ENERGY INFORMATION at High Speed

Airflow	Electricity Use	Airflow Efficiency
5291	32	164
Cubic Feet Per Minute	Watts (excludes lights)	Cubic Feet Per Minute Per Watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

Money-Saving Tip: Turn off fan when leaving room

