# KPF-1610

## Single Lever Commercial Style Pull-Pull Down Kitchen Faucet

Chrome / Stainless Steel / Stainless Steel Chrome / Matte Black / Stainless Steel Matte Black Finishes

#### Material

Body: Brass Handle: Zinc Sprayer: ABS Waterway: Braided Nylon

#### Spout

Swivel: 180 Design: Commercial Spring Pull Down

#### Sprayhead

Flow Rate: 1.8 gpm (6.8L/min) @ 60 psi Aerator: Neoperl Name: Cache Perlator Honeycomb Function: Spray/Stream Nozzles: Easy Clean Rubber Nozzles Docking: Secure

#### Cartridge

Brand: Kerox Size: 35mm Style: Lever

#### Kraus Lifetime Limited Warranty: See website for details www.kraususa.com

#### Mounting Holes: 1 Hole

Type: Brass Nut

#### Waterlines

Type : CAE Flexible Connections: 3/8" Materials: Braided Stainless Steel Included Factory Installed


#### Dimensions

Overall Height: 18 " Spout Height: 6 3/8" Spout Reach: 8 11/16"

#### **Accessories Included**

Weight, Hex Wrench, Escutcheon Plate (Sold Separately)

1.800.775.0703 / customerservice@kraususa.com



# Kräus®

### SPECIFICATION SHEET

# KSD-53

## Kraus Kitchen Soap Dispenser



Chrome / Stainless Steel / Spot Free all-Brite<sup>™</sup> Stainless Steel / Oil Rubbed Bronze / Matte Black Finishes

#### Material


Brass

#### Features

- Solid brass construction
- Self-priming pump
- Refillable from above
- Holds up to 17 oz. of liquid
- Pump: 1 5/8"
- Spout: 3 7/8"

Kraus Lifetime Limited Warranty: See website for details www.kraususa.com

1.800.775.0703 / customerservice@kraususa.com



REV. November 2, 2017

# KHU103-33

33 Inch Undermount 60/40 Double Bowl 16 Gauge Stainless Steel Kitchen Sink Satin Finish



Material

16 Gauge Stainless Steel

Installation Type Undermount

#### **Bowl Type**

Double Bowl Sink Offset:60/40 Handmade

#### Technology

Noise Defend

Minimum Cabinet Size Undermount : 36"


Dimensions Sink Dimensions: 32 3/4" x 19" x 10"

Accessories Included

KBG-103-33-1 & KBG-103-33-2, BST-1 & ST-1, Mounting Hardware, Template, Towel

Kraus Limited Lifetime Warranty: See website for details www.kraususa.com

1.800.775.0703 / customerservice@kraususa.com



Codes/Standards: Meets ASME A112.19.3/CSA B45.4