67" ASIA DOUBLE ACRYLIC ROLL TOP TUB

Cat. No. ADTR67





L: 67" W: 29-1/2"

H: 24-1/2" (from floor)

18" (from bottom of tub)

Water Depth: 11-1/2" to OF

The following is recomended for ADTR67 tubs

•Tub wall-mounted faucets: **4022**, **4025**, **or 4035** •Double offset bath supplies: **Part# 5576**

•Leg tub drain: Part# 5599

Do not use with rigid, freestanding supplies

Gallon Capacity: 50
Shipping Weight: 150 lbs.
Empty Weight: 100 lbs.
Filled Weight: 518 lbs.

Features:

- ► Smooth white acrylic surface inside and out
- ► 3-%" centers in tub wall
- ▶ Pre-drilled overflow hole
- ► Continuous rolled rim
- ► Cast aluminum ball and claw feet
- ► Tubs ship with feet attached and leveled
- ▶ Tubs thoroughly inspected before shipment



Foot Finishes

PΝ


BQ Bisque


BP Polished BrassBN Brushed Nickel


BL Black
CP Polished Chrome
ORB Oil Rubbed Bronze

Polished Nickel WH White

Custom Colors Available (inside of tub is always white enamel): Painted bathtubs are considered "special order" and are not returnable \$160 Bisque or Black \$250 Designer Color







Dimensions are nominal and specifications subject to change without notice.

RECTANGULAR SHOWER UNIT

Cat. No. 4190





L: 48" D: 24" L: 54" D: 24"

SIZE	FINISH
48" x 24"	CP, BN, ORB,PB, PN
54" x 24"	PB, CP


Riser Height: 62"
Faucet Width: 5-1/4"
Wall Support: 10"
Ceiling Support: 30"

Features:

- ► Rectangular shower rod is 3/4" solid brass tubing
- ► Washerless diverter bathcock
- ▶ 3-3/8" Centers for tub wall mount installation
- ► 1/4 Turn compression stems
- ► Includes ceiling and wall support assemblies
- ► Supports are adjustable by cutting
- ► Flow rate is 4 GPM
- ► Metal lever handles
- ▶ Polished chrome and brass have plastic showerhead
- ► Brushed Nickel, Polished Nickel and Oil Rubbed Bronze have a metal showerhead
- ► For use with **#5576** double offset supplies (Not Included)
- ► Available with **48**" or **54**" shower rod (#**4190-48**, #**4190-54**)
- ► Finish varies by size

Finishes:

CP Polished Chrome
BN Brushed Nickel
PN Polished Brass
PN Polished Nickel
ORB Oil Rubbed Bronze



Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

DOUBLE OFFSET BATH SUPPLIES

Cat.No. 5576





H: 24"

OD: 1/2"


Features:

- ▶ For use with faucets mounted to the tub wall
- ► No Stops
- ▶ 1/2" Compression inlet
- ▶3/4" Compression outlet
- ▶ 0.500" Outer diameter
- ▶ 0.440" Inner diameter
- ▶ 0.030" Thickness of the wall
- ► Availble in 5 finishes

Finishes:

CP Polished ChromePB Polished BrassORB Oil Rubbed Bronze

PN Polished NickelBN Brushed Nickel



Use on concrete floors requires special installation. We recommend using a plumbing proffessional.

Dimensions and specifications subject to change without notice.

LEG TUB DRAIN

Cat. No. 5599






Escutcheon Height: 1-1/4"

Features:

- ► Twist-and-lift stopper
- ► Includes deep escutcheon
- ► Height adjustable 15"-18"
- ▶ Depth adjustable 12"-14"
- ► Includes deep escutcheon
- ► Available in 5 Finishes

Finishes:

CP Polished ChromeBP Polished BrassSN Brushed NickelPN Polished NickelORB Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.