67" ASIA DOUBLE ACRYLIC ROLL TOP TUB

Cat. No.



Features:

- Smooth white acrylic surface inside and out
- ► 3-³/₈" centers in tub wall
- Pre-drilled overflow hole
- ► Continuous rolled rim
- Cast aluminum ball and claw feet
- ► Tubs ship with feet attached and leveled
- Tubs thoroughly inspected before shipment


- L: 67"
- W: 29-1/2"
- H: 24-¹/₂" (from floor) 18" (from bottom of tub)


Water Depth: 11-1/2" to OF

The following is recomended for ADTR67 tubs •Tub wall-mounted faucets: 4022, 4025, or 4035 •Double offset bath supplies: Part# 5576 •Leg tub drain: Part# 5599


Do not use with rigid, freestanding supplies

Gallon Capacity:	50
Shipping Weight:	150
Empty Weight:	100
Filled Weight:	518





7-1/2"



Dimensions are nominal and specifications subject to change without notice.

lbs. lbs. lbs.

RECTANGULAR SHOWER UNIT WITH SIDE WALL SUPPORT

Cat. No.

4192



		 Features: Rectangular shower rod is 3/4" solid brass tubing Washerless diverter bathcock 3-3/8" Centers for tub wall mount installation 1/4 Turn compression stems Flow rate is 4 GPM Metal lever handles Polished Chrome and Brass have plastic showerheads Brushed Nickel, Polished Nickel and Oil Rubbed Bronze have a metal showerhead Includes ceiling and wall support assemblies Side wall support fully reversible (Left or Right) Supports adjustable by cutting For use with #5576 double offset supplies (Not Included) Available with 48" (#4192-48) or 54" (#4192-54)shower rod
SIZE	FINISH	
48" x 24"	CP, BN, ORB,PB, PN	Finishes: CP Polished Chrome PB Polished Brass
54" x 24"	PB, CP	BN Brushed Nickel PN Polished Nickel
Shower Ro L: 48" L: 54" Riser Heigl Faucet Wic Wall Suppo Ceiling Sup	D: 24" D: 24" ht: 62" dth: 5-1/4" prt: 18"	ORB Oil Rubbed Bronze

Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

<u>ן ון</u>

DOUBLE OFFSET BATH SUPPLIES

Cat.No.




5576

Features:

- ► For use with faucets mounted to the tub wall
- ► No Stops
- ► 1/2" Compression inlet
- ► 3/4" Compression outlet
- ► 0.500" Outer diameter
- ► 0.440" Inner diameter
- ▶ 0.030" Thickness of the wall
- ► Availble in 5 finishes

Finishes:

- CP Polished ChromePB Polished BrassORB Oil Rubbed Bronze
- PN Polished Nickel
- BN Brushed Nickel



Use on concrete floors requires special installation. We recommend using a plumbing proffessional.

Dimensions and specifications subject to change without notice.



H: 24"

OD: 1/2"

LEG TUB DRAIN

Cat. No.

5599






Escutcheon Height: 1-1/4"

Features:

- ► Twist-and-lift stopper
- ► Includes deep escutcheon
- ► Height adjustable 15"-18"
- ► Depth adjustable 12"-14"
- ► Includes deep escutcheon
- ► Available in 5 Finishes

Finishes:

- CP Polished Chrome
- **BP** Polished Brass
- SN Brushed Nickel
- PN Polished Nickel
- **ORB** Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.