60" BARTLETT CAST IRON ROLL TOP TUB

Cat. No.





L: 60-³/₄" W: 30-¹/₂"

H: 23-1/4" (from floor to top of tub)

18-5/8" (from bottom of tub to top

of tub)

The following is recommended for CTRN60 tubs without faucet holes:

•Faucets: part #4602

•Rigid, freestanding supplies: part #4502

•Leg tub drain: part #5599

Gallon Capacity: 40
Shipping Weight: 500 lbs.
Empty Weight: 287 lbs.
Filled Weight: 622 lbs.

Features:


- ► Inside finish is white enamel
- ► Cast Iron ball and claw feet
- ► Tub exterior is white (epoxy)
- ► No faucet holes
- ► Non-skid strips
- ► Feet are attached and leveled before shipment
- ► Tub is throughly inspected before shipment



Foot Finishes:

BP Polished Brass **PN** Polished Nickel **WH** White CP Polished Chrome SN Brushed Nickel ORB Oil-rubbed Bronze

Custom Colors Available (inside of tub is always white enamel): Painted bathtubs are considered "special order" and are not returnable \$160 Bisque or Black \$250 Designer Color



Dimensions of fixture are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. Dimensions and specifications subject to change without notice.

TUB WALL MOUNT FILLER WITH HANDSHOWER


Cat. No. 4602







Adjustable Swivel Mounts




Features:

- ▶ Brass construction
- ► Elephant spout length is 5"
- ► Spout flow rate is 3.70 GPM
- ► Available with porcelein lever (4602-PL) or metal cross handles (4602-MC)
- ► Telephone handshower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- ► Swivel mounts adjust centers from 3" to 12"
- ► Faucet centers are 7" without swivel mounts
- ► For tub wall mount installation
- ► ¼ turn ceramic disc cartridges
- ► To be used with double offset bath supplies, Part #5576
- ► This faucet can also be used with rigid freestanding supplies, Part #4502 with adjustable swivel mounts removed

Finishes:

BP Polished Brass **CP** Polished Chrome **ORB** Oil Rubbed Bronze

SN Brushed Nickel PN Polished Nickel



FREESTANDING BATH SUPPLIES

Cat. No. 4502-PL





H: 30" (30 1/2" with nut)

OD: 1/2"



Features:

- ▶5" Shaft included
- ► Stops included
- ► 1/2" Pipe thread inlet
- ▶3/4" Flare outlet
- ► Wall support assemblies included
- ► Porcelain lever handles
- ▶ 0.800" Outer diameter
- ▶ 0.595" Inner diameter
- ▶ 0.090" Thickness of wall
- ► Available in 5 finishes

Finishes:

CP Polished Chrome
 BP Polished Brass
 SN Brushed Nickel
 PN Polished Nickel
 ORB Oil Rubbed Bronze

2" 22" 30 1/2" 5 1/2"

Use on concrete floors requires special installation. We recommend using a plumbing proffessional.

Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

LEG TUB DRAIN

Cat. No. 5599






Escutcheon Height: 1-1/4"

Features:

- ► Twist-and-lift stopper
- ► Includes deep escutcheon
- ► Height adjustable 15"-18"
- ▶ Depth adjustable 12"-14"
- ► Includes deep escutcheon
- ► Available in 5 Finishes

Finishes:

CP Polished ChromeBP Polished BrassSN Brushed NickelPN Polished NickelORB Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.

RECTANGULAR SHOWER ROD

Cat. No. 4150





Size	Finish
48" L X 24"D	PB, CP, SN, PN or ORB
54" L X 24"D	PB, CP or SN

Features:


- ▶¾" Solid Brass Tubing
- ► Includes 30" Ceiling Support Assembly
- ► Includes 10" End Wall Support Assembly
- ▶ 5/8" OD Supports are Adjustable by Cutting
- ► Finish varieas by size
- ► Available In 2 Sizes: 48"(#4150-48), and 54" (#4150-54)
- ► All Rods Come As Four Pieces

Finishes:

CP Polished Chrome **PB** Polished Brass **PN** Polished Nickel

SN Brushed Nickel **ORB** Oil Rubbed Bronze





Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.