

SHOWER
Contemporary Square
Thermostatic Set w/Body Sprays
& Handshower (Rough & Trim)
GC1.231A-LM23S

GRAFF®



Information

- 8" Rain Showerhead with 12" Ceiling-Mounted Shower Arm
- Square Body Sprays w/Solid Brass Swivel Head (3 pieces)
- Handshower Set w/Wall Bracket and Multi-function Handshower
- 3/4" Thermostatic Valve
- Stop/Volume Control Valves (3 pieces)
- Flow rates: showerhead ≤ 1.8 max gpm, handshower ≤ 1.5 max gpm, body sprays ≤ 1.5 max gpm each
- Optional Extension Kit



Information

- 18.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Built-in service stops
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- Thermostatic valve uses a paraffin wax cartridge

Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)

SHOWER
Stealth SOLID Trim Plate
w/Handle
G-8041-LM23S-T

GRAFF®



Information

- Single metal handle
- Decorative trim plate
- Use with G-8000 or G-8005 thermostatic rough valve
- To complete package, you must order rough valve
- ADA

Finishes




Polished
Chrome




Steelnox®
(Satin Nickel)

G-8041



SHOWER
Rough
G-8075

GRAFF®



Information

- 3/4" universal inlets/outlets with female threads
- Supplied with protective plastic cover

Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

SHOWER
Solar SOLID Trim Plate w/Handle
G-8095-LM31S-T

GRAFF®



Information

- Single metal handle
- Decorative trim plate
- Use with G-8070 or G-8075 thermostatic stop/volume control rough valve
- To complete package, you must order rough valve
- ADA

Finishes





Polished
Chrome



Steelnox®
(Satin Nickel)

G-8095



SHOWER
8" Square Brass Showerhead
G-8438

GRAFF®



Information

- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen

Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8438

Aqua-Sense Collection

Contemporary 8" Square Showerhead

GRAFF[®]
CUTTING EDGE DESIGN




Product Features

- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

Available Finishes

- Polished Chrome
G-8438-PC
- Brushed Nickel
G-8438-PN
- Polished Nickel
G-8438-BNi
- Unfinished Brass*
G-8438-UB*
- Steelnox
G-8438-SN
- Olive Brass*
G-8438-OB*
- Architectural Black with Chrome Accents*
G-8438-PC/BK*
- Gold*
G-8438-AU*
- Brushed Gold*
G-8438-BAU

* Special order finish- call for availability



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 12/2017

www.graff-designs.com | phone: 800-954-4723

SHOWER
Square body Spray with Solid
Brass Swivel Head
G-8490

GRAFF®



Information

- 12 no-clog, easy-clean silicon jets
- Metal ball-joint allows for angle adjustment of body spray
- Brass wall escutcheon
- 1/2" NPT male thread inlet
- Body spray flow rate ≤ 1.5 max gpm

Finishes




Polished
Chrome



Steelinox®
(Satin Nickel)

Square Body Spray G-8490



SHOWER
Contemporary 12" Ceiling Shower
Arm
G-8542

GRAFF®



Information

- Includes arm and solid square flange
- 1/2" NPT male thread inlet
- For use with all showerheads

Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

G-8542



SHOWER
59" Shower Hose
G-8605

GRAFF®



Information

- Brass spiral flexible hose with conical nut

Finishes



Polished
Chrome



Steelinox®
(Satin Nickel)

G-8605

Shower Components 59" Shower Hose

GRAFF®



Product Features

- Brass spiral flexible hose with conical nut

Warranty


- Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

Available Finishes


- Polished Chrome
G-8605-PC
- Polished Nickel
G-8605-PN
- Brushed Nickel
G-8605-BNi
- Unfinished Brushed Brass*
G-8605-UBB*
- Unfinished Brass*
G-8605-UB*
- Matte Black*
G-8605-MBK*
- Architectural Black*
G-8605-BK*
- Architectural White*
G-8605-WT*
- Olive Brass*
G-8605-OB*
- Gunmetal*
G-8605-GM*
- Vintage Brushed Brass*
G-8605-VBB*
- Steelnox (Satin Nickel)
G-8605-SN
- 24K Brushed Gold*
G-8605-BAU*
- 24K Gold*
G-8605-AU*
- Gunmetal Distressed*
G-8605-GMD*

* Special order finish- call for availability



SHOWER
Contemporary Square Wall
Bracket for Handshower
G-8632

GRAFF®



Information

- Solid brass construction

Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8632

Contemporary Square Wall Bracket for Handshower



Product Features

- Solid brass construction


Available Finishes

- Polished Chrome
G-8632-PC
- Steelnox[®]
G-8632-SN

Warranty

- Limited lifetime warranty

For complete warranty information go to
<http://www.graff-faucets.com/en/info/faqs>



SHOWER
Contemporary Square Wall Supply
Elbow
G-8633

GRAFF®



Information

- 1/2" NPT female thread inlet

Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8633

Contemporary Square Wall Supply Elbow



Product Features

- 1/2" NPT female thread inlet



Available Finishes

- Polished Chrome
G-8633-PC
- Steelnox[®]
G-8633-SN
- Architectural Black w/Chrome
Accents
G-8633-PC/BK

Warranty

- Limited lifetime warranty

For complete warranty information go to
<http://www.graff-faucets.com/en/info/faqs>



SHOWER
Multi-function Handshower
G-8664

GRAFF®



Information

- 2 spray patterns: rain and invigorating body massage
- Switch between 2 spray patterns
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- Includes internal backflow preventer
- CALGreen

Finishes



Polished
Chrome



Steelinox®
(Satin Nickel)

G-8664

Multifunction Handshower

GRAFF[®]
CUTTING EDGE DESIGN



Product Features

- Switch between 2 spray patterns
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- CALGreen compliant


Available Finishes

- Polished Chrome G-8664-PC
- Steelnox[®] G-8664-SN

Warranty

- Limited lifetime warranty

For complete warranty information go to
<http://www.graff-faucets.com/en/info/faqs>



Ø3-5/15" (Ø84mm)

