

SHOWER
Luna Thermostatic Shower Set
(Rough & Trim)
GF3.100A-LM31S

GRAFF®



Information

- Thermostatic Shower Spout Flow Rate 2.1 gpm @ 60 psi
- Body Spray Flow Rate 2.5 gpm @ 60 psi
- Contemporary Square Spout w/Body Sprays 8.1 gpm @ 60 psi



Information

- 18.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Built-in service stops
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- Thermostatic valve uses a paraffin wax cartridge

Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

SHOWER
Solar/Structure SOLID Trim Plate
w/Handle
G-8041-LM31S-T

GRAFF®



Information

- Single metal handle
- Decorative trim plate
- Use with G-8000 or G-8005 thermostatic rough valve
- To complete package, you must order rough valve
- ADA

Finishes




Polished
Chrome




Steelnox®
(Satin Nickel)

G-8041



SHOWER
Rough
G-8075

GRAFF®



Information

- 3/4" universal inlets/outlets with female threads
- Supplied with protective plastic cover

Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

SHOWER
Solar SOLID Trim Plate w/Handle
G-8095-LM31S-T

GRAFF®



Information

- Single metal handle
- Decorative trim plate
- Use with G-8070 or G-8075 thermostatic stop/volume control rough valve
- To complete package, you must order rough valve
- ADA

Finishes





Polished
Chrome



Steelnox®
(Satin Nickel)

G-8095



SHOWER
Square Flush Mount Body Spray
w/ Solid Brass Swivel Head
G-8497

GRAFF®



Information

- 12 no-clog, easy-clean silicon jets
- Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon and flush-mounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm

Finishes



Polished
Chrome




Steelnox®
(Satin Nickel)

G-8497

Shower Components

Contemporary Flush-Mount Body Spray with Solid Brass Swivel Head

GRAFF®



Product Features

- 12 no-clog, easy-clean silicone jets
- Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon and Flush-mounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm


Warranty

- Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

Available Finishes

- Polished Chrome
G-8497-PC
- Polished Nickel
G-8497-PN
- Brushed Nickel
G-8497-BNi
- Matte Black*
G-8497-MBK*
- Architectural Black*
G-8497-BK*
- Architectural White*
G-8497-WT*
- Olive Brass
G-8497-OB
- Gunmetal*
G-8497-GM*
- Steelnox
G-8497-SN
- OR'osa PVD*
G-8497-RG*
- Onyx PVD*
G-8497-OX*
- Polished Brass PVD*
G-8497-PB*
- Brushed Brass PVD*
G-8497-BB*
- Brushed Gold*
G-8497-BAU*
- Gold*
G-8497-AU*
- Gunmetal Distressed*
G-8497-GMD*



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 4/2019
www.graff-designs.com | phone: 800-954-4723

SHOWER
Spout and Wall Bracket
G-8700-T

GRAFF®



Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

G-8700

LUNA Series



SHOWER
Rough
G-8705

GRAFF®



Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8705

