SHOWER
M-Series Full Thermostatic
Shower System with Diverter
Valve



#### GL2.122SG-LM44E0



#### **Information**

- 3/4" thermostatic valve and trim
- 8" rain showerhead with 12" wall-mounted shower arm
- Flush-mounted swivel body sprays (3 pieces)
- Handshower set w/wall bracket
- 3-way diverter valve
- Showerhead features no-clog, easy-clean spray nozzles
- Optional extension kit
- Flow rates: showerhead  $\leq 1.8$  max gpm, handshower  $\leq 1.5$  max gpm, body sprays  $\leq 1.5$  max gpm each





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Black



Architectural Matte Black



Polished Chrome



Architectural White





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


#### Code Compliance


• CALGreen

#### Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs





G-8037-LM44E-T





#### Information

- Single metal handle
- Decorative trim plate
- Use with G-8006 thermostatic rough valve
- To complete package, you must order rough valve
- ADA



Black



Architectural Matte Black





Polished Chrome



Architectural White

# G-8037-LM44E-T AMETIS Series








**SHOWER** Three-Way Diverter Control Valve WITH Off Function (No Pass-Through)





#### **Information**

G-8053

- ~11.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Operates one function at a time
- Stacking inlet feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions



Black



Architectural Matte Black



Polished Chrome



Architectural White





- 3/4" universal inlets/outlets with female threads
- Stacking inlet feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


### Code Compliance


• CALGreen

#### Warranty

Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8069-LM44E1-T



#### Information

- Single metal handle
- Decorative trim plate
- Use with G-8053 3-way diverter control rough valve WITH off function
- To complete package, you must order rough valve
- ADA



Black



Architectural Matte Black





Polished Chrome




Architectural White

## G-8069-LM44E1-T AMETIS Series













- 1/4" thick
- 169 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



Black



Architectural Matte Black



Polished Chrome




Architectural White





- 1/4" thick
- 169 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm



#### Available Finishes

- Polished Chrome G-8449-PC
- Brushed Nickel G-8449-PN
- Polished Nickel G-8449-BNi
- Unfinished Brass\*
   G-8449-UB\*
- Steelnox
  - G-8449-SN
- Olive Brass\* G-8449-OB\*
- Architectual Black with Chrome Accents\*
  - G-8449-PC/BK\*
- Brushed Gold\*G-8449-BAU

#### Code Compliance

CALGreen

#### Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

<sup>\*</sup> Special order finish- call for availability





- 12 no-clog, easy-clean silicon jets
- Metal ball-joint allows for angle adjustment of body spray
- Brass wall escutcheon and flush-mounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm







Architectural Matte Black



Polished Chrome



Architectural White





- 12 no-clog, easy-clean silicon jets
- Metal ball-joint allows for angle adjustment of body spray
- Brass wall escutcheon and flush-mounted trim
- 1/2" NPT female thread inlet
- Aerated flow rate 2.5 gpm


#### Available Finishes


- Polished Chrome G-8495-PC
- Steelnox® G-8495-SN
- Olive Bronze G-8495-OB\*
- Polished Nickel G-8495-PN\*
- Architectural Black<sup>™</sup>
   G-8495-BK\*
- Architectural White G-8495-WT\*

#### Warranty

Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs









- Includes arm and solid round flange
- 1/2" NPT male thread inlet
- For use with all showerheads



Black




Architectural Matte Black



Polished Chrome



Architectural White





G-8605



#### Information

• Brass spiral flexible hose with conical nut





Architectural Matte Black



Polished Chrome




Architectural White



 Brass spiral flexible hose with conical nut



- Polished Chrome G-8605-PC
- Brushed Nickel G-8605-BNi
- Polished Nickel G-8605-PN
- Unfinished Brass\*
   G-8605-UB\*
- Steelnox
  - G-8605-SN
- Olive Bronze
   G-8605-OB
- Architectual Black G-8605-BK
- Architectual White G-8605-WT
- Architectual Black w/ Chrome Accents
   G-8605-PC/BK
- Gold\* G-8605-AU\*
- Brushed Gold\*
   G-8605-BAU\*



#### Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs





G-8613

• 1/2" NPT female thread inlet



Black



Architectural Matte Black




Chrome



Architectural White


### G-8613







G-8642



#### Information

- Solid brass construction
- Swivel holder



Black



Architectural Matte Black





Polished Chrome




Architectural White

## G-8642 M.E. Series













- Solid brass construction
- Smooth, all-metal handle
- Shower hose not included
- Handshower flow rate ≤1.5 max gpm
- CALGreen



Black



Architectural Matte Black



Polished Chrome



Architectural White





- Solid brass construction
- Smooth, all-metal handle
- Aerated flow rate ≤1.5 max gpm
- Shower hose not included

#### Code Compliance

CalGreen compliant

#### Available Finishes

- Polished Chrome G-8714-PC
- Brushed Nickel
   G-8714-BNi
- Polished Nickel
   G-8714-PN
- Steelnox®
   G-8714-SN
- Olive Bronze™ G-8714-OB
- Architectural Black™
   G-8714-BK
- Architectural White G-8714-WT

#### Warranty

Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs

