

KBU24

32 Inch Undermount 60/40 Double Bowl 16 Gauge
Stainless Steel Kitchen Sink
Satin Finish

Kräus®

SPECIFICATION SHEET

Material

16 Gauge Stainless Steel

Minimum Cabinet Size

Undermount : 36"

Installation Type

Undermount

Dimensions

Sink Dimensions: 32" x 20 5/8" x 9"

Bowl Type

Double Bowl Sink

Offset: 60/40

Pressed

Accessories Included


KBG-24-1 & KBG-24-2, BST-1 & ST-1, Mounting
Hardware, Template, Towel

Technology

Noise Defend

Kraus Limited Lifetime Warranty: See website for details www.kraususa.com

1.800.775.0703 / customerservice@kraususa.com



KPF-1610

Single Lever Commercial Style Pull-Pull Down Kitchen Faucet

Chrome / Stainless Steel / Stainless Steel Chrome /
Matte Black / Stainless Steel Matte Black Finishes

Kräus[®]

SPECIFICATION SHEET

Material

Body: Brass
Handle: Zinc
Sprayer: ABS
Waterway: Braided Nylon

Spout

Swivel: 180
Design: Commercial Spring
Pull Down

Sprayhead

Flow Rate: 1.8 gpm (6.8L/min) @ 60 psi
Aerator: Neoperl
Name: Cache Perlator Honeycomb
Function: Spray/Stream
Nozzles: Easy Clean Rubber Nozzles
Docking: Secure

Cartridge

Brand: Kerox
Size: 35mm
Style: Lever

Mounting

Holes: 1 Hole
Type: Brass Nut

Waterlines

Type : CAE
Flexible
Connections: 3/8"
Materials: Braided Stainless Steel
Included
Factory Installed

Dimensions


Overall Height: 18"
Spout Height: 6 3/8"
Spout Reach: 8 11/16"

Accessories Included

Weight, Hex Wrench, Escutcheon Plate (Sold Separately)

Kraus Lifetime Limited Warranty: See website for details www.kraususa.com

1.800.775.0703 / customerservice@kraususa.com



KSD-53

Kraus Kitchen Soap Dispenser

Kräus®
SPECIFICATION SHEET

Chrome / Stainless Steel / Spot Free all-Brite™ Stainless Steel /
Oil Rubbed Bronze / Matte Black Finishes

Material

Brass

Features

- Solid brass construction
- Self-priming pump
- Refillable from above
- Holds up to 17 oz. of liquid
- Pump: 1 5/8"
- Spout: 3 7/8"

Kraus Lifetime Limited Warranty: See website for details www.kraususa.com

1.800.775.0703 / customerservice@kraususa.com

