


# Dynasty Products List

## 1. Wall mount electric fireplaces

EF67-CP&CL	W35-3/4"xH24-1/2"xD6"
EF68-P&L	W50-1/2"xH26-1/2"xD6"
EF69-P&L	W58-1/4"xH26-1/2"xD6"
EF69-BGR	W58-1/4"xH26-1/2"xD6"
EF69-WGR	W58-1/4"xH26-1/2"xD6"
EF70-P&L	W70"xH26-1/2"xD6"
EF71-P&L	W78"xH26-1/2"xD6"
EF72-P&L	W93-3/4"xH26-1/2"xD6"



## 2. Dream Fires

BG-58CBGF	W37-1/2"xH25-5/8"xD6"
BG-100CBGF	W58-1/4"xH26"xD6"
BG-240CBGF	W94-3/8"xH26-3/8"xD6"



## 3. Zero Clearance Inserts

SD27	W28"xH24"xD9"
SD33	W33"xH30"xD8"
SD39	W39"xH33-1/2"xD8"
SD45	W45"xH33-1/2"xD10"
S14W(LED)	W58"xH31"xD14"
EF43D-FGF(LED)	W28"xH24-1/2"xD8"
EF44D-FGF(LED)	W32"xH24-1/2"xD8"
EF45D-FGF(LED)	W35"xH27"xD8"



## 4. Built-in Units:

DY-BT35	W35"xH19-1/2"xD7"
DY-BT44	W44"xH19-1/2"xD7"
DY-BT55	W55-1/2"xH19-1/2"xD7"
DY-BT63	W63-1/2"xH19-1/2"xD7"
DY-BT79	W79-1/4"xH19-1/2"xD7"



Distributed By:



Richmond Store: #10-3071 No. 5 Road, Richmond, BC V6X 2T4  
 Tel: (604)-821-1009 Toll Free: 1-877-521-1009 Fax: (604)-821-1019  
 North Vancouver Store: #211 - 1305 Welch Street, North Vancouver, BC V7P 1B3  
 Tel: 604-980-1899 Fax: 604-980-1849

# Dynasty Built-in Electric Fireplaces



[www.dynastyfireplaces.com](http://www.dynastyfireplaces.com)





**DY-BT79**  
79" Fireplace W79-1/4" x H19-1/2" x D7"

**TECHNICAL SPECIFICATION**

MODEL		DY-BT79
APPROVAL		CSA
VOLTS		120V
AMPS		10.8A
WATTS		1300W
HEATER	HIGH	1300W
	LOW	650W
NO HEATER		9.2W
LED LIGHT		6.7W
ROTOR MOTOR		2.5W
TIMING RANGE		0.5-9H
CONTROLLABLE		16°C-28°C(60-82°F)
TEMPERATURE		
SHIPPING SIZE		89"x10"x22"
SHIPPING WEIGHT		108Lb
PLUG LOCATION		TOP OF RIGHT SIDE
CORD LENGTH		70 7/8"
APPROX.HEATING ARE		about 300 SF
PLUG INTO A STANDARD HOUSE		HOLD
OUTLET OR DIRECT-WIRED		




**DY-BT63**  
63" Fireplace W63-1/2" x H19-1/2" x D7"

**TECHNICAL SPECIFICATION**


MODEL		DY-BT63
APPROVAL		CSA
VOLTS		120V
AMPS		10.8A
WATTS		1300W
HEATER	HIGH	1300W
	LOW	650W
NO HEATER		7.5W
LED LIGHT		5W
ROTOR MOTOR		2.5W
TIMING RANGE		0.5-9H
CONTROLLABLE		16°C-28°C(60-82°F)
TEMPERATURE		
SHIPPING SIZE		73"x10"x22"
SHIPPING WEIGHT		90LB
PLUG LOCATION		TOP OF RIGHT SIDE
CORD LENGTH		70 7/8"
APPROX.HEATING ARE		about 300 SF
PLUG INTO A STANDARD HOUSE		HOLD
OUTLET OR DIRECT-WIRED		




Dimensions




Framing 2X8 (Fully Recessed)




Installation (Flush to Wall)




Dimensions



Framing 2X8 (Fully Recessed)



Installation (Flush to Wall)








**DY-BT55**  
55" Fireplace W55-1/2" x H19-1/2" x D7"

**TECHNICAL SPECIFICATION**


MODEL		DY-BT55
APPROVAL		CSA
VOLTS		120V
AMPS		10.8A
WATTS		1300W
HEATER	HIGH	1300W
	LOW	650W
NO HEATER		7.5W
LED LIGHT		5W
ROTOR MOTOR		2.5W
TIMING RANGE		0.5-9H
CONTROLLABLE		16°C-28°C(60-82°F)
TEMPERATURE		
SHIPPING SIZE		65"x10"x22"
SHIPPING WEIGHT		80LB
PLUG LOCATION		TOP OF RIGHT SIDE
CORD LENGTH		70 7/8"
APPROX.HEATING ARE		about 300 SF
PLUG INTO A STANDARD HOUSE		HOLD
OUTLET OR DIRECT-WIRED		




**DY-BT44**  
44" Fireplace W43-3/4" x H19-1/2" x D7"

**TECHNICAL SPECIFICATION**


MODEL		DY-BT44
APPROVAL		CSA
VOLTS		120V
AMPS		10.8A
WATTS		1300W
HEATER	HIGH	1300W
	LOW	650W
NO HEATER		6.1 W
LED LIGHT		3.4W
ROTOR MOTOR		2.5W
TIMING RANGE		0.5-9H
CONTROLLABLE		16°C-28°C(60-82°F)
TEMPERATURE		
SHIPPING SIZE		54"x10"x22"
SHIPPING WEIGHT		67LB
PLUG LOCATION		TOP OF RIGHT SIDE
CORD LENGTH		70 7/8"
APPROX.HEATING ARE		about 300 SF
PLUG INTO A STANDARD HOUSE		HOLD
OUTLET OR DIRECT-WIRED		




Dimensions




Framing 2X8 (Fully Recessed)




Installation (Flush to Wall)




Dimensions



Framing 2X8 (Fully Recessed)



Installation (Flush to Wall)






## DY-BT35

35" Fireplace W35-7/8" x H19-1/2" x D7"



### TECHNICAL SPECIFICATION

MODEL	DY-BT35
APPROVAL	CSA
VOLTS	120V
AMPS	10.8A
WATTS	1300W
HEATER	HIGH 1300W
	LOW 650W
NO HEATER	6.1W
LED LIGHT	3.4W
ROTOR MOTOR	2.5W
TIMING RANGE	0.5-9H
CONTROLLABLE	16°C-28°C(60-82°F )
TEMPERATURE	
SHIPPING SIZE	46"x10"x22"
SHIPPING WEIGHT	58LB
PLUG LOCATION	TOP OF RIGHT SIDE
CORD LENGTH	70 7/8"
APPROX.HEATING ARE	about 300 SF
PLUG INTO A STANDARD HOUSE HOLD	
OUTLET OR DIRECT-WIRED	





Dynasty Built-in Fire is the next chapter of the electric fireplace. It is easy for you to frame and install. The heat comes from the front of the fireplace. This contemporary fireplace makes a beautiful addition to your home.


### Features:

- \*120 Volt/AC. 1300 watt on high heat and 650 watt on low heat
- \*Plug into a standard house hold outlet or Direct-wired
- \*Unique LED lighting with yellow or blue flame
- \*Recessed to wall installation
- \*No ventilation required
- \*Remote control for adjustable flame and heating operation
- \*Energy saving products

### Dimensions



### Framing 2X8 (Fully Recessed)



### Installation (Flush to Wall)

