12V 2700K LED 18" Hardscape Textured Sand

16103SD27 (Sand)



Certifications/Qualifications

Dimensions		
Base Backplate	INCLUDED	
Height	0.75"	
Length	18.00"	
Width	3.00"	

www.kichler.com/warrantu

Electrical

Operating Voltage Range	9-15 VAC
Supply Wire (Degrees)	84
Voltage	12V

Mounting/Installation

Connector	Yes
Wire Connectors	Wire Nuts

Photometrics

i ilocollictics	
Color Rendering Index	80
Delivered Efficacy (Lumens/Watt)	40
Delivered Lumens	125
Kelvin Temperature	2700K

Primary Lamping

Expected Life Span	40000	
Volt-Amperes (VA)	4.30	

Product/Ordering Information

SKU	16103SD27
Finish	Stone/Natural
UPC	783927533812

Specifications

Material	ALUMINUM	

Additional Finishes



Centennial Brass



Gray



Sand



Textured Architectural Bronze



Textured Black

Kichler

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.



12V 3000K LED 18" Hardscape Textured Sand

16103SD30 (Sand)

Project Name:	
Location:	
Type:	
Qty:	
Comments:	



Certifications/Qualifications

Dimensions	
INCLUDED	
0.75"	
18.00"	
3.00"	
	0.75" 18.00"

www.kichler.com/warrantu

Electrical

Operating Voltage Range	9-15 VAC
Supply Wire (Degrees)	84
Voltage	12V

Mounting/Installation

Connector	Yes
Wire Connectors	Wire Nuts

Photometrics

Color Rendering Index	80			
Delivered Efficacy (Lumens/Watt)	40			
Delivered Lumens	125			
Kelvin Temperature	3000K			

Primary Lamping

Expected Life Span	40000	
Volt-Amperes (VA)	4.30	

Product/Ordering Information

SKU	16103SD30	
Finish	Stone/Natural	
UPC	783927533881	

Specifications

	 _		
Material		ALUMINUM	

Additional Finishes



Centennial Brass



Gray



Sand



Textured Architectural Bronze



Textured Black

Kichler

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes:

Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

