

SHOWER
Contemporary Pressure Balancing
Shower Set (Rough & Trim)
G-7246-LM40S


GRAFF®



Information


- 1/2" Pressure Balancing Valve
- Includes Multi-function Handshower w/24" wall-mounted slide bar and 59" hose
- Flow Rates: handshower ≤ 1.5 max gpm
- Optional extension kit
- ADA
- CALGreen

G-7246-LM40S



SHOWER
Concealed Pressure Balancing
Valve Rough
G-7005

GRAFF®



Information

- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- For use with shower only configuration
- Supplied with protective plastic guard

Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

G-7005

Concealed Pressure Balancing Valve Rough



Product Features


- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- For use with shower only configuration
- Supplied with protective plastic guard

Warranty

- Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs

Pressure Balance Rough G-7005




The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 7/2017.

www.graff-faucets.com | phone: 800-954-4723

SHOWER
Immersion SOLID Trim Plate
w/Handle
G-7040-LM40S-T

GRAFF®



Information

- Single metal lever handle
- Decorative trim plate
- Use with G-7005 pressure balancing rough valve for shower-only configurations
- To complete package, you must order rough valve
- ADA

Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

G-7040



SHOWER
59" Shower Hose
G-8605

GRAFF®



Information

- Brass spiral flexible hose with conical nut

Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)



Product Features

- Brass spiral flexible hose with conical nut

Warranty


- Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

Available Finishes

- Polished Chrome
G-8605-PC
- Polished Nickel
G-8605-PN
- Brushed Nickel
G-8605-BNi
- Unfinished Brushed Brass*
G-8605-UBB*
- Unfinished Brass*
G-8605-UB*
- Matte Black*
G-8605-MBK*
- Architectural Black*
G-8605-BK*
- Architectural White*
G-8605-WT*
- Olive Brass*
G-8605-OB*
- Gunmetal*
G-8605-GM*
- Vintage Brushed Brass*
G-8605-VBB*
- Steelnox (Satin Nickel)
G-8605-SN
- 24K Brushed Gold*
G-8605-BAU*
- 24K Gold*
G-8605-AU*
- Gunmetal Distressed*
G-8605-GMD*

* Special order finish- call for availability



SHOWER
Contemporary Square Wall-
Mounted Slide Bar
G-8631

GRAFF®



Information

- 27 11/16" tall wall-mounted slide bar
- Adjustable bracket fits all hoses with conical nut

Finishes




Polished
Chrome



Steelnox®
(Satin Nickel)

G-8631

Slide Bar Series



valid since 2014

SHOWER
Contemporary Square Wall Supply
Elbow
G-8633

GRAFF®



Information

- 1/2" NPT female thread inlet

Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8633

Contemporary Square Wall Supply Elbow



Product Features

- 1/2" NPT female thread inlet



Available Finishes

- Polished Chrome
G-8633-PC
- Steelnox[®]
G-8633-SN
- Architectural Black w/Chrome
Accents
G-8633-PC/BK

Warranty

- Limited lifetime warranty

For complete warranty information go to
<http://www.graff-faucets.com/en/info/faqs>



SHOWER
Multi-function Handshower
G-8664

GRAFF®



Information

- 2 spray patterns: rain and invigorating body massage
- Switch between 2 spray patterns
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- Includes internal backflow preventer
- CALGreen

Finishes



Polished
Chrome



Steelnox®
(Satin Nickel)

G-8664

Multifunction Handshower



Product Features

- Switch between 2 spray patterns
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- CALGreen compliant


Available Finishes

- Polished Chrome G-8664-PC
- Steelnox[®] G-8664-SN

Warranty

- Limited lifetime warranty

For complete warranty information go to <http://www.graff-faucets.com/en/info/faqs>



Ø3-5/15" (Ø84mm)

