#### 170131

# THE **Rubinet** FAUCET COMPANY

## **ASSEMBLY INSTRUCTION**

## 4XHXL or C

THREE WAY DIVERTER WITH SHARED OUTLETS IN BETWEEN FUNCTIONS



4XHXL



4XHXC

#### **REMOVAL OF FIXTURE:**

Always turn the water supply off before removing the existing fixture or disassembling a valve. Open all fixture handles to relieve water pressure and to ensure that the water has been successfully turned off.

#### CARE OF FIXTURE:

The use of warm water and a soft cloth is all that is required to clean Rubinet products. The patina of our living finishes (Oil Rubbed Bronze & Tuscan Brass) will change as a result of normal use. Applying Mineral Oil on occasion will create a softer look, subtle color changes and character.


4XR000


Rough-In Valve 0







#### THREE WAY DIVERTER WITH SHARED OUTLETS IN BETWEEN FUNCTIONS









### THREE WAY DIVERTER WITH SHARED OUTLETS IN BETWEEN FUNCTIONS





#### FEATURES:

- Brass construction with choice of 21 finishes
- Single handle control
- 4-Port 3 Way diverter valve
- Shared outlets in between functions



#### CONTACT US:

If you need assistance with installation, replacement parts or have any questions regarding your Rubinet product, please call a Customer Service representative at: 905-851-6781 toll free 1-800-461-5901 or visit **www.rubinet.com**