### KWT310-30





#### **Sink Dimensions**

Overall Dimensions: 30" x 22" Bowl Dimensions: 28" x 16"

Sink Depth: 9"

### **Features**

- 16 Gauge Stainless Steel Construction
- Dual Mount Single Bowl Sink
- Zero Radius Vertical Corners
- 1/4" Radius Corners in the Bowl for Ease of Cleaning
- Pre-drilled Soap Dispenser Hole with Provided Cover
- 3.5mm Thick Deck
- Required Minimum Cabinet Size: 33" Left to Right, 24" Front to Back
- · Rear Off-Set Drain
- 3 1/2" Drain Opening
- NoiseDefend Undercoating and Sound **Dampening Pads**

### **Accessories Included**

- Strainer ST-1
- Cover Cap STC-2
- Bottom Grid KBG-UN1-30
- Rolling Mat KRM-11BL
- Cutting Board KCB-WS103BB
- Cut-Out Template
- · Mounting Hardware

### **CODES/STANDARDS:**

**Product Certification** 

cUPC (ASME A112.19.3/CSA B45.4)


NOTE: Maximum countertop thickness for Top Mount installation is 1 1/2".

**NOTE**: It is not recommended to install this sink with a negative reveal. Doing so will prohibit the use of any workstation accessories as they will not fit.

#### Warranty

Kraus Limited Lifetime Warranty see website for details www.kraususa.com







### **KRM-11**

# Kräus SPECIFICATION SHEET

### Multipurpose Roll-Up Dish Drying Rack

### **Rolling Mat Dimensions**

Overall Dimensions: 16 7/8" x 12" x 3/8"

#### **Features**

- Roll-up over-the-sink drying rack
- Stainless steel construction with non-slip silicone coating
- Rolls up into a compact cylinder for storage
- Dishwasher safe
- Heat-safe up to 400° F
- Holds up to 100 lbs
- BPA-free and FDA-approved
- For Use with KFR4-33, KGF1-30, KGF1-33, KGF2-30, KGF2-33, KWF210-30, KWF210-33, KWF210-36, KWF410-30, KWF410-33, KWF410-36, KWT310-30, KWT310-33, KWT311-25, KWU110-27, KWU110-30, KWU110-32, KWU111-17, KWU111-23, KWU112-33, KWU120-45 and KWU210-57 kitchen sinks


### **Available Colors**

- Black
- Brown
- Dark Blue
- Dark Grey
- Light Grey
- Aqua
- Green
- Red
- Yellow

### Warranty

Kraus One Year Limited Warranty see website for details www.kraususa.com







### Stainless Steel Kitchen Sink Bottom Grid


#### **Grid Dimensions**

**KBG-UN1-30** 

Overall Dimensions: 27 5/8" x 15 5/8" x 7/8"


#### Features

- Commercial grade stainless steel construction
- For Use with the KWU110-30, KWT310-30, KWF210-30 and KWF410-30 kitchen sinks
- Protects bottom of sink from daily wear and tear
- Rubber feet provide additional protection



### Warranty

Kraus One Year Limited Warranty see website for details www.kraususa.com





# Cutting Board



### **Cutting Board Dimensions**

Overall Dimensions: 16 3/4" x 12" x 3/4"

#### Features

- Designed to Use Over the Sink and On the Counter
- Outer Groove Traps Liquids to Prevent Messy Counter
- BPA-free and FDA-approved

### **Available Finishes**


- Bamboo
- Acacia




NOTE: Each piece may feature unique color variations

### Warranty

Kraus One Year Limited Warranty see website for details www.kraususa.com





## STC-2



### Removable Decorative Drain Cover

### **Drain Cap Dimensions**

Overall Dimensions: Ø4 1/2" x 5/8"

### **Features**

- Premium Stainless Steel Construction
- Fits Standard 3 1/2" Drain Opening
- Allows Water to Drain Easily When Installed
- Conceals Garbage Disposal and Waste Fittings for a Seamless Look
- Compatible with Standart Pro<sup>™</sup>, Pax<sup>™</sup>, Kore<sup>™</sup>, Outlast Microshield<sup>™</sup> and Premier<sup>™</sup> Kitchen sinks


### **Available Finishes**

- Stainless Steel
- PVD Gunmetal



### Warranty

Kraus 1 Year Limited Warranty see website for details www.kraususa.com







### **Strainer Dimensions**

Overall Dimensions:  $\phi 4\ 1/2"\ x\ 3\ 3/4"$ 

### **Features**

- Premium Stainless Steel construction
- Fits Standard 3 1/2" or 4" Drain Opening
- Open/Close Stopper Prevents Debris from Clogging Drain Pipe


### **Available Finishes**

• Stainless Steel



### Warranty

Kraus 1 Year Limited Warranty see website for details www.kraususa.com



## KWD100-75

### Garbage Disposal



### **Garbage Disposal Dimensions**

Overall Dimensions: 7 1/2" x 10 1/4" x 15 1/4"

### **Features**

- 3/4 Horsepower
- 3800RPM Motor Speed
- Permanent Magnet Motor Type
- 40.6 oz. Grind Chamber Capacity
- Stainless Steel Jam Resistant Grinding System
- · Continuous Feed
- Sound Insulated
- Splash Guard
- Sink Stopper
- Anti-Vibration Mount
- Easy Mount System
- Manual Reset Overload
- Connection to Dishwasher
- 1 1/2" Drain Connection

### **Specifications**

- Voltage 110V 60Hz
- Amperage 5A
- On/Off Control Wall Switch

#### **Available Colors**

- Black
- White

### **CODES/STANDARDS:**

**Product Certification** 

cUPC, ETL and ISTA certified

### Warranty

Kraus Limited 5 Year Warranty see website for details www.kraususa.com



