

LED MOTION SENSOR DISC LIGHT





TOOLS AND MATERIALS REQUIRED:



SAFETY PRECAUTIONS:


1. TURN OFF ELECTRICAL POWER BEFORE STARTING INSTALLATION OF LIGHT FIXTURE.

2. THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A

CERTIFIED ELECTRICIAN FAMILIAR WITH LOCAL MUNICIPAL CODES AND REQUIREMENTS.

3. CONSULT A QUALIFIED ELECTRICIAN TO ENSURE CORRECT BRANCH CIRCUIT CONDUCTOR.


PART	DESCRIPTION	QTY
Α	LED disc light	1
В	Mounting screws	2
С	Wire nut	3



FLUSH MOUNT

This LED light is compatible to be dimmed by LUTRON #DVCL-153P, CTCL-153P, TGCL-153P, LEVITON #6633, 6633-P, 6672, 6674, IPL06. Dimming levels may vary by different dimmer.

PIR motion sensor turns off the light after 30 seconds of no detection and back on as the user re-enters the working area from 5 yards away.



- **1**. Prior to installation, install 1 mounting screw into the junction box. Do not drive screw completely to the end of the junction box.
- 2. Connect supply wires to wires on fixture with wire nuts. Connect white to white, black to black, and copper wire to copper wire as grounding connection.
- **3.** With the lens off of fixture, attach disc light to mounting screw and drive it completely to the end of the junction box. Align the other mounting hole to the junction box hole to tighten the other screw to firmly hold the fixture in place.
- **4.** Complete the installation by twisting the lens on the disc light.

Made in China