# **ASSEMBLY INSTRUCTION**

3DETL

DECK MOUNT TUB FILLER WITH HAND HELD SHOWER




3DETL


## REMOVAL OF FIXTURE:


Always turn the water supply off before removing the existing fixture or disassembling a valve. Open both fixture handles to relieve water pressure and to ensure that the water has been successfully turned off.


#### CARE OF FIXTURE:


The use of warm water and a soft cloth is all that is required to clean Rubinet products. The patina of our living finishes (Oil Rubbed Bronze & Tuscan Brass) will change as a result of normal use. Applying Mineral Oil on occasion will create a softer look, subtle color changes and character.













5

#### REMOVING DIVERTER CARTRIDGE

- 1. Remove the diverter handle. (center)
- 2. Remove the shaft using wrench.
- 3. Remove diverter cartridge.





# REPLACING DIVERTER CARTRIDGE Align notch to the matching hole to ensure proper assembly



#### **FEATURES:**

- Brass construction with choice of 21 finishes
- Quarter Turn adjustable, ceramic disc cartridges
- Two Lever handles
- Hand Held Shower with 60" Hose ( 2.5 gpm @ 60 psi)
- Tub Spout ( 7.0 gmp @ 60 psi) Built-in double check valve





### CONTACT US:

If you need assistance with installation, replacement parts or have any questions regarding your Rubinet product, please call a Customer Service representative at: 905-851-6781 toll free 1-800-461-5901 or visit www.rubinet.com