

Fan Downrod 12 Inch

360000AP (Antique Pewter)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000AP |
| Finish | Antique Pewter |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Down Rod 12 Inch AW

360000AW

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000AW |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000BAB (Burnished Antique Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000BAB |
| Finish | Burnished Antique Brass |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |


Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000BKZ (Berkshire Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Ordering Information

| | |
|--------------------|---|
| Product ID | 360000BKZ |
| Finish | Berkshire Bronze |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |

Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Fan Downrod 12 Inch

360000BSS (Brushed Stainless Steel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000BSS |
| Finish | Brushed Stainless Steel |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000CZ (Carre Bronze)


Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Ordering Information

| | |
|--------------------|---|
| Product ID | 360000CZ |
| Finish | Carre Bronze |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |


Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Fan Downrod 12 Inch

360000DBK (Black (Painted))

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Ordering Information

| | |
|--------------------|---|
| Product ID | 360000DBK |
| Finish | Black (Painted) |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |


Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Fan Downrod 12 Inch

360000GST (Galvanized Steel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Ordering Information

| | |
|--------------------|---|
| Product ID | 360000GST |
| Finish | Galvanized Steel |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |


Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Fan Downrod 12 Inch

360000MCH (Midnight Chrome)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Ordering Information

| | |
|--------------------|---|
| Product ID | 360000MCH |
| Finish | Midnight Chrome |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |

Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Fan Downrod 12 Inch

360000MDW (Mediterranean Walnut)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000MDW |
| Finish | Mediterranean Walnut |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

12" Fan Downrod MWH

360000MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000MWH |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

12" Fan Downrod NBR

360000NBR (Natural Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000NBR |
| Finish | Natural Brass |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000NI (Brushed Nickel)


Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Ordering Information

| | |
|--------------------|---|
| Product ID | 360000NI |
| Finish | Brushed Nickel |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |

Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Fan Downrod 12 Inch

360000OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000OBB |
| Finish | Oil Brushed Bronze |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000OLZ (Oiled Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000OLZ |
| Finish | Oiled Bronze |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000OZ (Olde Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000OZ |
| Finish | Olde Bronze |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000PN (Polished Nickel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000PN |
| Finish | Polished Nickel |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000SBK (Satin Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000SBK |
| Finish | Satin Black |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

12" Fan Downrod SGD

360000SGD

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000SGD |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Down Rod 12 in. X 1 in O.D. SNW

360000SNW (Satin Natural White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|--|
| Product ID | 360000SNW |
| Finish | Satin Natural White |
| Available Finishes | SNW, AP, AW, BAB, BKZ, BSS, CZ, DBK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, SNW, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000TZ (Tannery Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000TZ |
| Finish | Tannery Bronze |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000TZG (Tannery Bronze w/ Gold Accent)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000TZG |
| Finish | Tannery Bronze w/ Gold Accent |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000TZP (Tannery Bronze Powder Coat)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000TZP |
| Finish | Tannery Bronze Powder Coat |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000WCP (Weathered Copper Powder Coat)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000WCP |
| Finish | Weathered Copper Powder Coat |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000WH (White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000WH |
| Finish | White |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions

| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|


Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--------------|
| Safety Rated | Not Required |
|--------------|--------------|

| | |
|----------|--|
| Warranty | www.kichler.com/warranty |
|----------|--|



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Fan Downrod 12 Inch

360000WSP (Weathered Steel Powder Coat)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000WSP |
| Finish | Weathered Steel Powder Coat |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

12 Inch Fan Downrod - WZC WZC

360000WZC

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|---|
| Product ID | 360000WZC |
| Available Finishes | AP, AW, BAB, BKZ, BSS, CZ, BK, GST, MCH, MDW, MWH, NBR, NI, OBB, OLZ, OZ, PN, SBK, SGD, TZ, TZG, TZP, WCP, WH, WSP, WZC |

Dimensions


| | |
|--------|----------|
| Weight | 3.00 LBS |
|--------|----------|

Specifications

| | |
|----------|-------|
| Material | Steel |
|----------|-------|

Qualifications

| | |
|--------------|--|
| Safety Rated | Not Required |
| Warranty | www.kichler.com/warranty |



Dimensions

| | |
|--------|--------|
| Length | 12.00" |
| Width | 1.00" |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.