

Cool Touch Control System R200 BSS

3R200BSS (Brushed Stainless Steel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

Product ID	3R200BSS
Finish	Brushed Stainless Steel
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 DBK

3R200DBK (Distressed Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

Product ID	3R200DBK
Finish	Distressed Black
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 MWH

3R200MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	3R200MWH
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 NBR

3R200NBR (Natural Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	3R200NBR
Finish	Natural Brass
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 NI

3R200NI (Brushed Nickel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

Product ID	3R200NI
Finish	Brushed Nickel
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 OBB

3R200OBB (Oil Brushed Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	3R200OBB
Finish	Oil Brushed Bronze
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 SNW

3R200SNW (Satin Natural White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

Product ID	3R200SNW
Finish	Satin Natural White
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 TZ

3R200TZ (Tannery Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	3R200TZ
Finish	Tannery Bronze
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Cool Touch Control System R200 WH

3R200WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	3R200WH
Finish	White
Available Finishes	BSS, DBK, NI, OBB, SNW, TZ, WH, MWH, NBR

Specifications


Material	Plastic
----------	---------

Electrical

Voltage	120V
---------	------

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.