

DESIGNER SERIES

PERSONAL SHOWER
WITH SLIDE BAR



### KEEP THIS INSTRUCTION BOOKLET FOR FUTURE REFERENCE


Important: Please register your product online at www.santecfaucet.com within 30 days of purchase. Santec reserves the right to request additional documents before servicing warranty requests.

SANTEC has the right to make necessary design changes where applicable.

\*Illustration may not depict actual products

# **Parts Breakdown**

### SUPPLY ELBOW NOT INCLUDED



DRY WALL TOGGLES (4)


## # PART DESCRIPTION

- 1 Bar posts with set screws(2)\*
- 2 Sliding bar\*
- 3 Adjustable bracket\*
- 4 Mounting post
- 5 Screws (8)
- 6 Handheld shower assembly with hose\*
- 7 Anchors
- 8 Dry wall toggles

<sup>\*</sup> Please specify the finish when ordering the part.


# Installing Into Wooden Surface

For wooden surface, the Mounting Hardware Posts can be secured by screwing the Screws directly into the wood backing.




# Installing Into Drywall

Using a drill, pre-drill holes for the Toggles. Fold the Toggle's legs and insert into the wall. The Mounting Hardware Posts can be secured by screwing the crews into the Toggles.



# Installing Into Solid/Hard Surface

Using a drill, pre-drill the holes. Insert Anchors into the wall. Secure the Mounting Hardware Posts by tightening the Screws into the Anchors.



# **POSITIONING**


Note: Slide Bar is most secure when screwing Mounting Posts into a cross brace or wall stud within the wall.

Once the first mounting post is set to the desired height, position the side bar assembly vertically on the wall amd mark above, below, right, and left of the post with a pencil and remove the slide bar assembly. Connect the two lines to find the center.

Measure the dimensions carefully. Mark the eight screw hole positions by using the Mounting Hardware Posts.

Follow the steps mentioned on previous page to secure the Mountingposts onto the finished wall.

Tighten all eight screws into the mounting posts firmly.



## Slide Bar

### ASSEMBLY (1)

Note: The Slide Bar can be mounted with the shower assembly on the left or right hand side, depending on your preference.

Set the Bar Posts apart from each other onto a flat surface with openings facing each other and insert the Sliding Bar into both unsecured Bar Posts.


Make sure the slide bar assembly is fillted together securely and the bar does not rotate.

Lift the Slide Bar assembly to the wall vertically and align with the Mounting Posts.

Slip the Slide Bar assembly over the top and bottom Mounting Hardware Posts.

Make sure the slide bar assembly is fixed and aligned proerly, then screw the two set screws into the top of the Bar Posts.

Firmly tighten them.



## Slide Bar

### ASSEMBLY (3)

Note: Supply elbow is not included (there is a personal preference as to where the water source will come from).


NOTE: ATTACH THE HOSE PROPERLY BY FOLLOWING THE INSTRUCTIONS BELOW.

Attach the hex nut on the hose to the water source. Attach the conical nut at the other end of the hose to the handheld shower.

Slip the handheld shower assembly into the slotted groove of the Adjustable Bracket.

Move the adjustable bracket to desired height.

Note: The adjustable bracket holder has a tapered cut to ensure a light fit on the handheld shower. If experiencing difficulty in placing the handheld shower in the bracket, try rotating the adjustable bracket holder 180°





### LIFETIME LIMITED WARRANTY

**SANTEC** is committed to enhancing your bathroom experience by creating luxury products that will provide enduring satisftion. Every effort has been made to satisfy the highest standards of design and production to create lasting peace of mind for our customers. Proof of purchase must be provided for all warranty claims, SANTEC provides the following limited warraties on our product.

#### LENGTH OF WARRANTY & WHO IS COVERED BY OUR WARRANTY

This warranty only extends to the original consumer purchaser.

#### WHAT IS COVERED BY OUR WARRANTY

- 1. **Finishes:** SANTEC Polished Chrome, Polished Nickel and Satin Nickel finishes carry a Lifetime Limited warranty against manufacturing defects and tarnish to the original purchaser. Custom finishes carry a ten (10) years limited warranty against manufacturing defects and tarnish to the original purchaser only. Kitchen products carry a three (3) year limited warranty.
- 2. **Cartridges:** Santec cartridges carry a lifetime limited warranty, with the exception of thermostatic and pressure balanced cartridges, which carry a three (3) year limited warranty against manufacturing defects to the original purchaser.
- 3. **Parts:** Santec parts carry a ten (10) year limited warranty against manufacturing defects, to the original purchaser. Kitchen products carry a five (5) year limited warranty.

#### EXCLUSIONS AND LIMITATIONS OF WARRANTY

This warranty does not cover:

- 1. Drains
- 2. Crystals and/or glass
- 3. Damage due to negligence, accident, abuse, improper installation, or improper maintenance such as, but not limited to: heat from soldering during installation, the use of plumber's putty, damage from tools used during installation, the use or exposureto chemicals or cleaning products either abrasive or non-abrasive, or the use of any cleaning tool or product other than a soft, clean cloth. Reverse osmosis may also shorten the life of the finish.
- 4. Changes in the finish or in the product due to normal wear or aging does not cover any products or partswhich have been altered or used in a manner not typical for the product.
- 5. Loss, damages, or expense, incidental or consequential whatsoever, originating from the purchase, installation, use, repair, failure, or replacement of any SANTEC product or part, allowed by law.
- 6. Commercial and/or Industrial installations and use of the product.
- 7. This warranty does not include labor, travel charges, or any costs incurred for repair, removal, installation, servicing, diagnosing, or handling of either defective or replacement parts. 4 Changes in the finish or in the product due to normal wear or aging does not cover any products or parts
- 8. Access should be provided to the roman tub valves for future service or repair to valves and piping. Under no circumstances will Santec Faucet, Inc. be liable for any costs associated with the removal of materials for futureaccess to the tub valves or piping for service or repair.
  - This warranty does not cover: damage due to negligence, accident, abuse, improper installation, or improper maintenence such as, (but not limited to): heat from soldering during installation, the use of plumbers putty, damage from tools used during installation, the use or exposure to chemical or cleaning products, abrasive or non-abrasive, or the use of any cleaning tool or product other than a soft, clean cloth. This warranty does not cover: changes in the finish or in the product due to normal wear or again and does not cover any product or parts which have been altered or used in a manner not typical for the product. Santec will not be held liable for damage to products caused by the freight carrier, any such claims should be made immediately with the freight carrier. This warranty does not cover any cost involved in the installation, repair, or replacement of any SANTEC product or parts. This warranty does not coverand SANTEC will not be held liable for any loss, damages, or expenses, incidental or consequential whatsoever, originating from the purchase, installation, use, repair, failure, or replacement of any SANTEC product or part, as allowed by law. The product of components of the covered product will either be repaired, refinished or replaced at the sole discretion of SANTEC. SANTEC reserves the right to examine any product claimed defective prior to any warranty claim being accepted or processed, at its sole discretion. This warranty gives you specific legal rights and you may have other rights which may vary from state to state.

Effective: 05/01/2015



### FINISH CARE INFORMATION

WARNING: Do not clean your SANTEC product with ammonia (window cleaner), bleach, soaps, acids, abrasives, harsh polishes, harsh cleaners, a coarse surfaced cloth, coarse sponge, or any type of scouring pad. Doing so may ruin your faucet finish and/or void the warranty.

Thank you for making SANTEC a part of your lifestyle and luxury spa experience. Our products have been created as works of enduring quality and sophisticated design. Luxurious finishes need proper care and attention, so in order to understand how to properly clean your distinctive luxury finish, please refer to the finish care information below:

Your SANTEC product can be identified in one of two categories: clear coated finishes or non-clear coated finishes. Clear coated finishes are more scratch-sensitive and are more reactant to harsh cleaning chemicals than non-clear coated finishes. Once you have identified the specific luxury finish of your SANTEC product, please follow the important corresponding care instructions.

Living finishes are unique, are intended to change over time and are exluded from the finish warranty. Any product outdoors or in a marine environment are excluded from the finish warranty.

#### CLEAR COATED FINISHES

Clear Coated Finishes are as Follows:

We recommend that all faucets, drains, etc., be gently wiped dry with a soft cloth after use to avoid water spotting and water deposit build-up. A mild liquid hand soap may be used occasionally if desired. Use of a non-abrasive carnauba wax will add protection to the finish and should be used if the faucets will not be dried after use. Santec Orobrass kitchen products are clear coated. For clear coated finishes, it is recommened to clean your product weekly with a soft moist cloth.

#### NON-CLEAR COATED FINISHES

We recommend that all faucets, drains, etc., be gently wiped dry with a soft cloth after use to avoid water spotting and water deposit build-up. A mild liquid hand soap may be used occasionally if desired. Use of a non-abrasive carnauba wax isoccasially required and will add protection to the finish if the faucets will not be dried after use.

### TO OBTAIN WARRANTY SERVICE

Please read 'WHAT IS COVERED BY OUR WARRANTY' and 'EXCLUSIONS AND LIMITATIONS OF WARRANTY' sections to understand what is and what is not covered. Please have ready the proof of purchase (original sales receipt), description of the problem, and carefully package the product or defective part with postage prepaid. Then, please contact your local SANTECShowroom or write to SANTEC Technical Services.

Phone. 310.542.0063 Fax. 310.542.5681

Effective: 05/01/2015