Contempo Collection

JR(

RO


Model: 032523 032531

Note : For installing under counter sink with counter top

Figure 1.

Step 1: Apply adhesive caulking around the topside of rim near the edge, Carefully raise sink in place, align, and press firmly

See Figure 1.



Step 2 : Attach 4 undermount-clips to hold lavatory in place

See Figure 2.




Figure 3.

032536

DEVON 23"/31"/36"

ROUBOM **Contempo Collection**

Model: 032523

DEVON

032536

For installing under counter sink with Note : WideAppeal Top

23"/31"/36"

Step 1: DO NOT DISCARD WOODEN **INSTALLATION BRACKET!**

- Make sure wooden installation bracket is safely secure
- Install under counter sink by following specific sink installation

See Figure 1.


- **Step 2 : •** For best results, clean the mounting surfaces with a dry cleaning cloth
 - To prevent over flow of adhesive, use • masking tape to tape off the edges of the cabinet and the counter top
- Step 3 : Apply adhesive on wood bracket and mounting surfaces of the cabinet

See Figure 2.


Step 4 : Carefully place countertop on to the cabinet, align, and press firmly

See Figure 3.









032531

RONBOW®

Model: 032523 032531 032536


DEVON

Contempo Collection

Note : For installing Ceramic Sinktop

23"/31"/36"

Figure 1.




Step 2 : Place a generous portion of plumbers' putty under drain cap and insert whole drain body inside the bowl and through the countertop

Step 1: Place adhesive around top of cabinet

(There may be a small beveled rubber washer packaged with your drain, please discard this and use plumbers' putty instead)



See Figure 1.



Step 3 : From under the drain, insert the thick rubber washer and screw on and tighten the metal nut. Remove excess plumbers' putty

See Figure 3.

Step 4 : Attach p-trap to tailpiece



