

PRODUCT SPECIFICATIONS

Service/Utility Wall Mount Faucet. Faucet has a flow rate of 4.0 GPM, and is made of Chrome Plated Brass material, with a Quarter Turn Ceramic Disc valve. Faucet requires 2 faucet holes.

Mounting Type:	Wall Mount
Special Features:	Solid Brass Construction 1/2" adjustable inlets with integral stops
Finish:	Chrome (CR)
Handle Type:	2" Lever Handle
Hole Drillings:	2
Material:	Chrome Plated Brass
Valve Type:	Quarter Turn Ceramic Disc
Valve Connection:	1/2" NPT Female
Flow Rate:	4.0 GPM
Spout Type:	Bucket Hook



AMERICAN PRIDE. A LIFETIME TRADITION. Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.



Product Compliance:


ADA & ICC A117.1

ASME A112.18.1/CSA B125.1

NSF 61


NSF 372 (lead free)

Clean and Care Manual (PDF)
Installation Instructions (PDF)
Limited Warranty (PDF)





	80	
ITEM	IND. PART	DESCRIPTION
1	A55407	Spout
2	45918C	Handle, 2"
3	45923C	Right Cold Cartridge
4	45924C	Left Hot Cartridge
5	A55413	2" Adjustable Inlet
6	45912C	Body
7	98555C	V.B. Repair Kit





PRODUCT SPECIFICATIONS

Service/Utility Wall Mount Faucet. Faucet has a flow rate of 4.0 GPM, and is made of Chrome Plated Brass material, with a Quarter Turn Ceramic Disc valve. Faucet requires 2 faucet holes.

Mounting Type:	Wall Mount
Special Features:	Solid Brass Construction
	1/2" adjustable inlets with integral
	stops
Finish:	Chrome (CR)
Handle Type:	4" Wristblade Handle
Hole Drillings:	2
Material:	Chrome Plated Brass
Valve Type:	Quarter Turn Ceramic Disc
Valve Connection:	1/2" NPT Female
Flow Rate:	4.0 GPM
Spout Type:	Bucket Hook



AMERICAN PRIDE. A LIFETIME TRADITION.
Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.



Product Compliance:


ADA & ICC A117.1

ASME A112.18.1/CSA B125.1

NSF 61


NSF 372 (lead free)

Clean and Care Manual (PDF)
Installation Instructions (PDF)
Limited Warranty (PDF)



Service/Utility Wall Mount Faucet Model(s) LK940BR07T4S

\ /				
ITEM	IND. PART	DESCRIPTION		
1	A55407	Spout		
2	45919C	Handle, 4"		
3	45923C	Right Cold Cartridge		
4	45924C	Left Hot Cartridge		
5	A55413	2" Adjustable Inlet		
6	45912C	Body		
7	98555C	V.B. Repair Kit		





PRODUCT SPECIFICATIONS

Service/Utility Wall Mount Faucet. Faucet has a flow rate of 4.0 GPM, and is made of Chrome Plated Brass material, with a Quarter Turn Ceramic Disc valve. Faucet requires 2 faucet holes.

Mounting Type:	Wall Mount
Special Features:	Solid Brass Construction
	1/2" adjustable inlets with integral
	stops
Finish:	Chrome (CR)
Handle Type:	6" Wristblade Handle
Hole Drillings:	2
Material:	Chrome Plated Brass
Valve Type:	Quarter Turn Ceramic Disc
Valve Connection:	1/2" NPT Female
Flow Rate:	4.0 GPM
Spout Type:	Bucket Hook



AMERICAN PRIDE. A LIFETIME TRADITION. Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.




Product Compliance: ADA & ICC A117.1

ASME A112.18.1/CSA B125.1

NSF 61

NSF 372 (lead free)

Clean and Care Manual (PDF)
Installation Instructions (PDF)
Limited Warranty (PDF)



PART:_____QTY:____
PROJECT:_____
CONTACT:_____
DATE:____
NOTES:____
APPROVAL:_____

Service/Utility Wall Mount Faucet Model(s) LK940BR07T6S

· · · · · · · · · · · · · · · · · · ·				
ITEM	IND. PART	DESCRIPTION		
1	A55407	Spout		
2	45920C	Handle, 6"		
3	45923C	Right Cold Cartridge		
4	45924C	Left Hot Cartridge		
5	A55413	2" Adjustable Inlet		
6	45912C	Body		
7	98555C	V.B. Repair Kit		

