

# Flush Mount LED 2700K Flush Mount LED NI

43848NILED27 (Brushed Nickel)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Dimensions

Height	1.25"
Width	7.50"

## Ordering Information

Product ID	43848NILED27
Finish	Brushed Nickel
Available Finishes	NI, NI, OZ, OZ, WHT, WHT

## Dimensions

Height from center of Wall opening	3.75"
Base Backplate	7.50 DIA
Weight	1.00 LBS

## Photometrics

Kelvin Temperature	2700K
Color Rendering Index	90

## Specifications

Material	Steel
Glass Description	Pc Lens

## Electrical

Dimmable	Yes
Dimmable Notes	This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more information, go to <a href="http://Kichler.com/dimming">Kichler.com/dimming</a> .
Voltage	120V
Input Voltage	Single(120)

## Qualifications

Safety Rated	Wet
Energy Star	Yes
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Integrated
Light Source Equivalent	75(1) Incandescent
Number of Lights/LEDs	1
Delivered Lumens	1000
Delivered Efficacy	66

### Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Flush Mount LED 2700K Flush Mount LED NI 43848NILED27 (Brushed Nickel)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

---

# Flush Mount LED 2700K Flush Mount LED OZ 43848OZLED27 (Olde Bronze)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



## Dimensions

Height	1.25"
Width	7.50"

## Ordering Information

Product ID	43848OZLED27
Finish	Olde Bronze
Available Finishes	NI, NI, OZ, OZ, WHT, WHT

## Dimensions

Height from center of Wall opening	3.75"
Base Backplate	7.50 DIA
Weight	1.00 LBS

## Photometrics

Kelvin Temperature	2700K
Color Rendering Index	90

## Specifications

Material	Steel
Glass Description	Pc Lens

## Electrical

Dimmable	Yes
Dimmable Notes	This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more information, go to <a href="http://Kichler.com/dimming">Kichler.com/dimming</a> .
Voltage	120V
Input Voltage	Single(120)

## Qualifications

Safety Rated	Wet
Energy Star	Yes
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Integrated
Light Source Equivalent	75(1) Incandescent
Number of Lights/LEDs	1
Delivered Lumens	1000
Delivered Efficacy	66

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Flush Mount LED 2700K Flush Mount LED OZ 43848OZLED27 (Olde Bronze)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

---

# Flush Mount LED 2700K Flush Mount LED WHT

## 43848WHLED27 (Textured White)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



### Dimensions

Height	1.25"
Width	7.50"

### Ordering Information

Product ID	43848WHLED27
Finish	Textured White
Available Finishes	NI, NI, OZ, OZ, WHT, WHT

### Dimensions

Height from center of Wall opening	3.75"
Base Backplate	7.50 DIA
Weight	1.00 LBS

### Photometrics

Kelvin Temperature	2700K
Color Rendering Index	90

### Specifications

Material	Steel
Glass Description	Pc Lens

### Electrical

Dimmable	Yes
Dimmable Notes	This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more information, go to <a href="http://Kichler.com/dimming">Kichler.com/dimming</a>
Voltage	120V
Input Voltage	Single(120)

### Qualifications

Safety Rated	Wet
Energy Star	Yes
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

### Primary Lamping

Light Source	LED
Lamp Included	Integrated
Light Source Equivalent	75(1) Incandescent
Number of Lights/LEDs	1
Delivered Lumens	1000
Delivered Efficacy	66

#### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Flush Mount LED 2700K Flush Mount LED WHT

43848WHLED27 (Textured White)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

---

# Flush Mount LED 3000K Flush Mount LED NI

43848NILED30 (Brushed Nickel)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Dimensions

Height	1.25"
Width	7.50"

## Ordering Information

Product ID	43848NILED30
Finish	Brushed Nickel
Available Finishes	NI, NI, OZ, OZ, WHT, WHT

## Dimensions

Height from center of Wall opening	3.75"
Base Backplate	7.50 DIA
Weight	1.00 LBS

## Photometrics

Kelvin Temperature	3000K
Color Rendering Index	90

## Specifications

Material	Steel
Glass Description	Pc Lens

## Electrical

Dimmable	Yes
Dimmable Notes	This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more information, go to <a href="http://Kichler.com/dimming">Kichler.com/dimming</a> .
Voltage	120V
Input Voltage	Single(120)

## Qualifications

Safety Rated	Wet
Energy Star	Yes
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Integrated
Light Source Equivalent	75(1) Incandescent
Number of Lights/LEDs	1
Delivered Lumens	1000
Delivered Efficacy	66

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

**Flush Mount LED 3000K Flush Mount LED NI**  
43848NILED30 (Brushed Nickel)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

---



# Flush Mount LED 3000K Flush Mount LED OZ 43848OZLED30 (Olde Bronze)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



## Dimensions

Height	1.25"
Width	7.50"

## Ordering Information

Product ID	43848OZLED30
Finish	Olde Bronze
Available Finishes	NI, NI, OZ, OZ, WHT, WHT

## Dimensions

Height from center of Wall opening	3.75"
Base Backplate	7.50 DIA
Weight	1.00 LBS

## Photometrics

Kelvin Temperature	3000K
Color Rendering Index	90

## Specifications

Material	Steel
Glass Description	Pc Lens

## Electrical

Dimmable	Yes
Dimmable Notes	This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more information, go to <a href="http://Kichler.com/dimming">Kichler.com/dimming</a>
Voltage	120V
Input Voltage	Single(120)

## Qualifications

Safety Rated	Wet
Energy Star	Yes
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Integrated
Light Source Equivalent	75(1) Incandescent
Number of Lights/LEDs	1
Delivered Lumens	1000
Delivered Efficacy	66

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Flush Mount LED 3000K Flush Mount LED OZ 43848OZLED30 (Olde Bronze)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

---

# Flush Mount LED 3000K Flush Mount LED WHT

## 43848WHLED30 (Textured White)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



### Dimensions

Height	1.25"
Width	7.50"

### Ordering Information

Product ID	43848WHLED30
Finish	Textured White
Available Finishes	NI, NI, OZ, OZ, WHT, WHT

### Dimensions

Height from center of Wall opening	3.75"
Base Backplate	7.50 DIA
Weight	1.00 LBS

### Photometrics

Kelvin Temperature	3000K
Color Rendering Index	90

### Specifications

Material	Steel
Glass Description	Pc Lens

### Electrical

Dimmable	Yes
Dimmable Notes	This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more information, go to <a href="http://Kichler.com/dimming">Kichler.com/dimming</a>
Voltage	120V
Input Voltage	Single(120)

### Qualifications

Safety Rated	Wet
Energy Star	Yes
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

### Primary Lamping

Light Source	LED
Lamp Included	Integrated
Light Source Equivalent	75(1) Incandescent
Number of Lights/LEDs	1
Delivered Lumens	1000
Delivered Efficacy	66

#### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

**Flush Mount LED 3000K Flush Mount LED WHT**  
43848WHLED30 (Textured White)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

---