

10' 24V Dry Location Tape Light 2700K - BK

6T110S27BK (Black (Painted))

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|-----------------|
| Product ID | 6T110S27BK |
| Finish | Black (Painted) |
| Available Finishes | BK, WH |

Photometrics

| | |
|-----------------------|-------|
| Kelvin Temperature | 2700K |
| Color Rendering Index | 90 |

Specifications

| | |
|----------|-----|
| Material | Pcb |
|----------|-----|

Electrical

| | |
|----------|-----|
| Dimmable | Yes |
| Voltage | 24V |

Qualifications

| | |
|--------------------|--|
| Safety Rated | Dry |
| Class 2 | Yes |
| Expected Life Span | 50000 Hours |
| Warranty | www.kichler.com/warranty |

Primary Lamping

| | |
|------------------|------------|
| Light Source | LED |
| Lamp Included | Integrated |
| Delivered Lumens | 120 |
| Dimming | Yes |

Dimensions

| | |
|--------|---------|
| Length | 120.00" |
| Width | 4.00" |



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

10' 24V Dry Location Tape Light 3000K - BK

6T110S30BK (Black (Painted))

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

| | |
|--------------------|-----------------|
| Product ID | 6T110S30BK |
| Finish | Black (Painted) |
| Available Finishes | BK, WH |

Photometrics

| | |
|-----------------------|-------|
| Kelvin Temperature | 3000K |
| Color Rendering Index | 90 |

Specifications

| | |
|----------|-----|
| Material | Pcb |
|----------|-----|

Electrical

| | |
|----------|-----|
| Dimmable | Yes |
| Voltage | 24V |

Qualifications

| | |
|--------------------|--|
| Safety Rated | Dry |
| Class 2 | Yes |
| Expected Life Span | 50000 Hours |
| Warranty | www.kichler.com/warranty |

Primary Lamping

| | |
|------------------|------------|
| Light Source | LED |
| Lamp Included | Integrated |
| Delivered Lumens | 125 |
| Dimming | Yes |

Dimensions

| | |
|--------|---------|
| Length | 120.00" |
| Width | 0.50" |



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

10' 24V Dry Location Tape Light 3000K - WH

6T110S30WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

| | |
|--------------------|------------|
| Product ID | 6T110S30WH |
| Finish | White |
| Available Finishes | BK, WH |

Photometrics

| | |
|-----------------------|-------|
| Kelvin Temperature | 3000K |
| Color Rendering Index | 90 |

Specifications

| | |
|----------|-----|
| Material | Pcb |
|----------|-----|

Electrical

| | |
|----------|-----|
| Dimmable | Yes |
| Voltage | 24V |

Qualifications

| | |
|--------------------|--|
| Safety Rated | Dry |
| Class 2 | Yes |
| Expected Life Span | 50000 Hours |
| Warranty | www.kichler.com/warranty |

Primary Lamping

| | |
|------------------|------------|
| Light Source | LED |
| Lamp Included | Integrated |
| Delivered Lumens | 125 |
| Dimming | Yes |

Dimensions

| | |
|--------|---------|
| Length | 120.00" |
| Width | 0.50" |



Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.