10' 24V Dry Location Tape Light 2700K - BK

6T110UH27BK (Black (Painted))

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Ordering Information

Product ID	6T110UH27BK
Finish	Black (Painted)
Available Finishes	BK, WH

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	90

Specifications

Material	Pcb
Matchai	1 00

Electrical

Dimmable	Yes
Voltage	24V

Qualifications

Safety Rated	Dry
Class 2	Yes
Expected Life Span	50000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	490
Dimming	Yes

Height	1.00"
Length	120.00"
Width	0.50"

10' 24V Dry Location Tape Light 2700K - WH

6T110UH27WH (White)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Ordering Information

Product ID	6T110UH27WH
Finish	White
Available Finishes	BK, WH

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	90

Specifications

Wateria:	Material	Pcb
----------	----------	-----

Electrical

Dimmable	Yes
Voltage	24V

Qualifications

Safety Rated	Dry
Class 2	Yes
Expected Life Span	50000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	490
Dimming	Yes

Length	120.00"
Width	0.50"

10' 24V Dry Location Tape Light 3000K - BK

6T110UH30BK (Black (Painted))

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Ordering Information

Product ID	6T110UH30BK
Finish	Black (Painted)
Available Finishes	BK, WH

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	90

Specifications

|--|

Electrical

Dimmable	Yes
Voltage	24V

Qualifications

Safety Rated	Dry
Class 2	Yes
Expected Life Span	50000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	565
Dimming	Yes

Length	120.00"
Width	0.50"



10' 24V Dry Location Tape Light 3000K - WH

6T110UH30WH (White)

Project Name:	·
Location:	
Туре:	
Qty:	
Comments: _	

Ordering Information

Product ID	6T110UH30WH
Finish	White
Available Finishes	BK, WH

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	90

Specifications

Wateria:	Material	Pcb
----------	----------	-----

Electrical

Dimmable	Yes	
Voltage	24V	

Qualifications

Safety Rated	Dry
Class 2	Yes
Expected Life Span	50000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	565
Dimming	Yes

Length	120.00"
Width	0.50"

10' 24V Dry Location Tape Light 5000K - BK

6T110UH50BK (Black (Painted))

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Ordering Information

Product ID	6T110UH50BK
Finish	Black (Painted)
Available Finishes	BK, WH

Photometrics

Kelvin Temperature	5000K
Color Rendering Index	90

Specifications

Material	Pcb

Electrical

Dimmable	Yes
Voltage	24V

Qualifications

Safety Rated	Dry
Class 2	Yes
Expected Life Span	50000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	585
Dimming	Yes

Length	120.00"
Width	0.50"



10' 24V Dry Location Tape Light 5000K - WH

6T110UH50WH (White)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Ordering Information

Product ID	6T110UH50WH
Finish	White
Available Finishes	BK, WH

Photometrics

Kelvin Temperature	5000K
Color Rendering Index	90

Specifications

Material	Pcb

Electrical

Dimmable	Yes
Voltage	24V

Qualifications

Safety Rated	Dry
Class 2	Yes
Expected Life Span	50000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	585
Dimming	Yes

Length	120.00"
Width	0.50"