

3 LED with Bracket

15745AZT27 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	15745AZT27
Finish	Textured Architectural Bronze
Available Finishes	AZT, BBR, GRY, SD, WHT, CO, AZT, BBR, CO, GRY, SSD, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2560K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical


Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Under-Deck, rail-stone cap light 6 inch in texture

15745AZT30 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	15745AZT30
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, CO, CO, CO, GRY, GRY, GRY, SSD, SD, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical


Voltage	12VAC/VCC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED with Bracket

15745BBR27 (Bronzed Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	15745BBR27
Finish	Bronzed Brass
Available Finishes	AZT, BBR, GRY, GRY, SD, WHT, CO, AZT, BBR, CO, GRY, SSD, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2560K
--------------------	-------

Specifications

Material	Brass
----------	-------

Electrical


Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Under-Dec, Rail/Stone Cap Light 6 inch BBR

15745BBR30 (Bronzed Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

Product ID	15745BBR30
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, CO, CO, CO, GRY, GRY, GRY, SSD, SD, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
--------------------	-------

Specifications

Material	Brass
----------	-------

Electrical


Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W



Dimensions


Height	0.75"
Length	7.00"
Width	3.00"

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED with Bracket

15745CO27 (Copper)



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	15745CO27
Finish	Copper
Available Finishes	AZT, BBR, GRY, GRY, SD, WHT, CO, AZT, BBR, CO, GRY, SSD, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2560K
--------------------	-------

Specifications

Material	Brass
----------	-------

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Under /Deck/Rail-Stone Cap Light 6 inch CO

15745CO30 (Copper)


Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Ordering Information

Product ID	15745CO30
Finish	Copper
Available Finishes	AZT, AZT, BBR, BBR, CO, CO, GRY, GRY, GRY, SSD, SD, WHT, WHT, CO

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
--------------------	-------

Specifications

Material	Brass
----------	-------

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W


Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED with Bracket

15745GRY27 (Gray)



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	15745GRY27
Finish	Gray
Available Finishes	AZT, BBR, GRY, GRY, SD, WHT, CO, AZT, BBR, CO, GRY, SSD, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2560K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED - w/ Bracket (6.9 in) GRY

15745GRY30 (Gray)


Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Ordering Information

Product ID	15745GRY30
Finish	Gray
Available Finishes	AZT, AZT, BBR, BBR, CO, CO, CO, GRY, GRY, GRY, SSD, SD, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED with Bracket

15745SD27


Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Ordering Information

Product ID	15745SD27
Available Finishes	AZT, BBR, GRY, GRY, SD, WHT, CO, AZT, BBR, CO, GRY, SSD, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2560K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED - w/ Bracket (6.9 in) SD

15745SD30 (Sand)


Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Ordering Information

Product ID	15745SD30
Finish	Sand
Available Finishes	AZT, AZT, BBR, BBR, CO, CO, CO, GRY, GRY, GRY, SSD, SD, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED with Bracket

15745WHT27 (Textured White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	15745WHT27
Finish	Textured White
Available Finishes	AZT, BBR, GRY, SD, WHT, CO, AZT, BBR, CO, GRY, SSD, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2560K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical


Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W



Dimensions

Height	0.75"
Length	7.00"
Width	3.00"

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

3 LED - w/ Bracket (6.9 in) WHT

15745WHT30 (Textured White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Ordering Information

Product ID	15745WHT30
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, CO, CO, GRY, GRY, GRY, SSD, SD, WHT, WHT, CO

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
--------------------	-------

Specifications

Material	Aluminum
----------	----------

Electrical


Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	3
Max or Nominal Watt	.81W



Dimensions

Height	0.75"
Length	7.00"
Width	2.25"

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.