

Dome 2700K LED Path Light AZT

15810AZT27R (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	22.00"
Width	8.25"

Ordering Information

Product ID	15810AZT27R
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT

Dimensions

Weight	3.00 LBS
--------	----------

Photometrics

Color Rendering Index	80
-----------------------	----

Electrical

Voltage	12V
Operating Voltage Range	9-15V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Lamp Type	LED

Dome 3000K LED Path Light AZT

15810AZT30R (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	22.00"
Length	8.25"
Width	8.25"

Ordering Information

Product ID	15810AZT30R
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT

Dimensions

Weight	3.00 LBS
--------	----------

Photometrics

Color Rendering Index	80
-----------------------	----

Electrical

Voltage	12V
Operating Voltage Range	9-15V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Lamp Type	LED

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Dome 2700K LED Path Light BBR

15810BBR27R (Bronzed Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Dimensions

Height	22.00"
Length	8.25"
Width	8.25"

Ordering Information

Product ID	15810BBR27R
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT

Dimensions

Weight	3.00 LBS
--------	----------

Photometrics

Color Rendering Index	80
-----------------------	----

Electrical

Voltage	12V
Operating Voltage Range	9-15V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Lamp Type	LED

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Dome 3000K LED Path Light BBR

15810BBR30R (Bronzed Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Dimensions

Height	22.00"
Length	8.25"
Width	8.25"

Ordering Information

Product ID	15810BBR30R
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT

Dimensions

Weight	3.00 LBS
--------	----------

Photometrics

Color Rendering Index	80
-----------------------	----

Electrical

Voltage	12V
Operating Voltage Range	9-15V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Lamp Type	LED

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Dome 2700K LED Path Light BKT

15810BKT27R (Textured Black)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	22.00"
Length	8.25"
Width	8.25"

Ordering Information

Product ID	15810BKT27R
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT

Dimensions

Weight	3.00 LBS
--------	----------

Photometrics

Color Rendering Index	80
-----------------------	----

Electrical

Voltage	12V
Operating Voltage Range	9-15V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Lamp Type	LED

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

Dome 3000K LED Path Light BKT

15810BKT30R (Textured Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Dimensions

Height	22.00"
Length	8.25"
Width	8.25"

Ordering Information

Product ID	15810BKT30R
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT

Dimensions

Weight	3.00 LBS
--------	----------

Photometrics

Color Rendering Index	80
-----------------------	----

Electrical

Voltage	12V
Operating Voltage Range	9-15V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Lamp Type	LED

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.