2700K Llena LED Path AZT

15820AZT27 (Textured Architectural Bronze)

Ordering Information

Product ID	**15820AZT27**
Finish	Textured Architectural Bronze
Available Finishes	AZT, BBR, CO, AZT, BBR, CO

Dimensions

Weight	1.50 LBS

Specifications

Material	Aluminum

Electrical

Voltage	12V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated

Dimensions

Height	22.50"
Length	6.25"
Width	6.25"

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER®

2700K Llena LED Path BBR
15820BBR27 (Bronzed Brass)

Ordering Information

Product ID	**15820BBR27**
Finish	Bronzed Brass
Available Finishes	AZT, BBR, CO, AZT, BBR, CO

Dimensions

Weight	1.50 LBS

Specifications

Material	Brass

Electrical

Voltage	12V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated

Dimensions

Height	22.50"
Length	6.25"
Width	6.25"

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under
laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as
presented is an approximate number and is for reference only.

KICHLER.

2700K Llena LED Path CO
15820CO27 (Copper)

Ordering Information

Product ID	**15820CO27**
Finish	Copper
Available Finishes	AZT, BBR, CO, AZT, BBR, CO

Dimensions

Weight	1.50 LBS

Specifications

Material	Copper

Electrical

Voltage	12V

Qualifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated

Dimensions

Height	22.50"
Length	6.25"
Width	6.25"

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER.