

# Fundamentals 2700K LED Deck Light AZT

16110AZT27 (Textured Architectural Bronze)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110AZT27
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 3000K LED Deck Light AZT

16110AZT30 (Textured Architectural Bronze)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110AZT30
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 2700K LED Deck Light BBR

16110BBR27 (Bronzed Brass)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110BBR27
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 3000K LED Deck Light BBR

16110BBR30 (Bronzed Brass)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110BBR30
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 2700K LED Deck Light BKT

16110BKT27 (Textured Black)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110BKT27
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 3000K LED Deck Light BKT

16110BKT30 (Textured Black)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110BKT30
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 2700K LED Deck Light CO

16110CO27 (Copper)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110CO27
Finish	Copper
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 3000K LED Deck Light CO

16110CO30 (Copper)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110CO30
Finish	Copper
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.



# Fundamentals 2700K LED Deck Light GRY

16110GRY27 (Gray)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110GRY27
Finish	Gray
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 3000K LED Deck Light GRY

16110GRY30 (Gray)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110GRY30
Finish	Gray
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 2700K LED Deck Light SD

16110SD27 (Sand)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110SD27
Finish	Sand
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 3000K LED Deck Light SD

16110SD30 (Sand)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110SD30
Finish	Sand
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 2700K LED Deck Light WHT

16110WHT27 (Textured White)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110WHT27
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

# Fundamentals 3000K LED Deck Light WHT

16110WHT30 (Textured White)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



## Ordering Information

Product ID	16110WHT30
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, CO, CO, GRY, GRY, SD, SD, WHT, WHT

## Electrical

Voltage	15V
---------	-----

## Qualifications

Safety Rated	Wet
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

## Primary Lamping

Light Source	LED
Lamp Included	Not Included
Max or Nominal Watt	2.5W

## Dimensions

Height	2.50"
Width	3.25"

### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.