

Lacey II Collection
 52 Inch Lacey II LED Fan AP
 300024AP (Antique Pewter)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	300024AP
Finish	Antique Pewter
Blade Finish	Weathered White/Dark Cherry
Collection	Lacey II Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	170	5891	186	.39	32
Med	124	4307	353	.17	12
Low	49	1934	624	.05	3

Specifications


Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	Wood
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	6 Speed DC Wall Control
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	DC-125
Motor Type	DC

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000 K
Color Rendering Index	80



Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	16.75	11.75	11.00	6.75

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Lacey II Collection
52 Inch Lacey II LED Fan AP
 300024AP (Antique Pewter)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300024AP	ETCHED CASED OPAL	WEATHERED WHITE	DARK CHERRY
Olde Bronze	300024OZ	ETCHED CASED OPAL	MEDIUM CHERRY	WALNUT

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.60 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7 feet

Lacey II Collection
 52 Inch Lacey II LED Fan OZ
 300024OZ (Olde Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	300024OZ
Finish	Olde Bronze
Blade Finish	Medium Cherry/Walnut
Collection	Lacey II Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	170	5891	186	.39	32
Med	124	4307	353	.17	12
Low	49	1934	624	.05	3

Specifications


Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	Wood
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	6 Speed DC Wall Control
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	DC-125
Motor Type	DC

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000 K
Color Rendering Index	80



Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	16.75	11.75	11.00	6.75

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Lacey II Collection
 52 Inch Lacey II LED Fan OZ
 300024OZ (Olde Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300024AP	ETCHED CASED OPAL	WEATHERED WHITE	DARK CHERRY
Olde Bronze	300024OZ	ETCHED CASED OPAL	MEDIUM CHERRY	WALNUT

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.60 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7 feet