

Ridley II Collection
52 Inch Ridley II Fan BSS
 300027BSS (Brushed Stainless Steel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Product Information

Product ID	300027BSS
Finish	Brushed Stainless Steel
Blade Finish	Medium Oak
Collection	Ridley II Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	163	4909	90	.46	55
Med	118	3278	118	.38	28
Low	65	1769	172	.26	10

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	16.25	13.25	6.75	5.75

Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	Solid Wood
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	3 Speed Wall Control Ltd Function
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	153MM X 18MM
Motor Type	AC INDUCTION

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000 K
Color Rendering Index	80

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Ridley II Collection
52 Inch Ridley II Fan BSS
 300027BSS (Brushed Stainless Steel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	300027BSS	ETCHED CASED OPAL	MEDIUM OAK	
Natural Brass	300027NBR	ETCHED CASED OPAL	CHERRY	
Oil Brushed Bronze	300027OBB	ETCHED CASED OPAL	WALNUT	

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	17.20 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7 feet

Ridley II Collection
 52 Inch Ridley II Fan NBR
 300027NBR (Natural Brass)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	300027NBR
Finish	Natural Brass
Blade Finish	Cherry
Collection	Ridley II Collection

Airflow, Power and Efficiency


Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	163	4909	90	.46	55
Med	118	3278	118	.38	28
Low	65	1769	172	.26	10



Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	Solid Wood
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	3 Speed Wall Control Ltd Function
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	153MM X 18MM
Motor Type	AC INDUCTION

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	16.25	13.25	6.75	5.75

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000 K
Color Rendering Index	80

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Ridley II Collection
52 Inch Ridley II Fan NBR
 300027NBR (Natural Brass)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	300027BSS	ETCHED CASED OPAL	MEDIUM OAK	
Natural Brass	300027NBR	ETCHED CASED OPAL	CHERRY	
Oil Brushed Bronze	300027OBB	ETCHED CASED OPAL	WALNUT	

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	17.20 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7 feet

Ridley II Collection
52 Inch Ridley II Fan OBB
 300027OBB (Oil Brushed Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Product Information

Product ID	300027OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut
Collection	Ridley II Collection


Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	163	4909	90	.46	55
Med	118	3278	118	.38	28
Low	65	1769	172	.26	10

Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	Solid Wood
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	3 Speed Wall Control Ltd Function
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	153MM X 18MM
Motor Type	AC INDUCTION

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	16.25	13.25	6.75	5.75

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000 K
Color Rendering Index	80

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Ridley II Collection
52 Inch Ridley II Fan OBB
 300027OBB (Oil Brushed Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	300027BSS	ETCHED CASED OPAL	MEDIUM OAK	
Natural Brass	300027NBR	ETCHED CASED OPAL	CHERRY	
Oil Brushed Bronze	300027OBB	ETCHED CASED OPAL	WALNUT	

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	17.20 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7 feet