

**Canfield XL Collection**  
**Canfield XL 60" Ceiling Fan - In Distressed Black**  
 300188DBK (Distressed Black)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**Product Information**

Product ID	300188DBK
Finish	Distressed Black
Blade Finish	American Walnut/Dark Walnut
Collection	Canfield XL Collection

**Airflow, Power and Efficiency**

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	177	8060	98	.69	82
Med	128	5865	129	.51	46
Low	81	3772	171	.35	22

**Specifications**

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	212MM X 25MM
Motor Type	AC

**Downlight**

Optional Light Kit Available	No
------------------------------	----


**Safety Listings & Certifications**

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

**Installation**



**Dimensions**



Downrod	A	B	C	D
1.00 OD X 4.00	14.02	11.28	13.78	6.30

**Available Finishes**

# Canfield XL Collection

## Canfield XL 60" Ceiling Fan - In Distressed Black

300188DBK (Distressed Black)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	300188DBK		AMERICAN WALNUT	DARK WALNUT
Brushed Nickel	300188NI		LIGHT WALNUT	LIGHT CHERRY
Oil Brushed Bronze	300188OBB		LIGHT WALNUT	LIGHT CHERRY
Tannery Bronze	300188TZ		TEAK	DARK CHERRY
White	300188WH		WHITE	WHITE

**Installation requirements**  
 The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements	120V 60Hz AC
Hanging Weight	27.83 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

### Accessory Blade Options

Product ID	Descr
371027	70 Inch Carved Wood Blade Set
371034	70 Inch Carved Wood Blade Set
371050	70 Inch Carved Wood Blade Set
371051	70 Inch Carved Wood Blade Set
371052	70 Inch Carved Wood Blade Set

### Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

**Canfield XL Collection**  
**Canfield XL 60" Ceiling Fan - In Brushed Nickel**  
 300188NI (Brushed Nickel)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**Product Information**

Product ID	300188NI
Finish	Brushed Nickel
Blade Finish	Walnut/Cherry
Collection	Canfield XL Collection

**Airflow, Power and Efficiency**

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	177	8060	98	.69	82
Med	128	5865	129	.51	46
Low	81	3772	171	.35	22

**Specifications**

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	212MM X 25MM
Motor Type	AC

**Downlight**

Optional Light Kit Available	No
------------------------------	----

**Safety Listings & Certifications**


Safety Rated	Dry
Energy Star	Yes
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

**Installation**

The electrical junction box



**Dimensions**



Downrod	A	B	C	D
1.00 OD X 4.00	14.02	11.28	13.78	6.30

**Available Finishes**

# Canfield XL Collection

## Canfield XL 60" Ceiling Fan - In Brushed Nickel

300188NI (Brushed Nickel)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	300188DBK		AMERICAN WALNUT	DARK WALNUT
Brushed Nickel	300188NI		WALNUT	CHERRY
Oil Brushed Bronze	300188OBB		WALNUT	CHERRY
Tannery Bronze	300188TZ		TEAK	DARK CHERRY
White	300188WH		WHITE	WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	27.83 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

### Accessory Blade Options

Product ID	Descr
371027	70 Inch Carved Wood Blade Set
371034	70 Inch Carved Wood Blade Set
371050	70 Inch Carved Wood Blade Set
371051	70 Inch Carved Wood Blade Set
371052	70 Inch Carved Wood Blade Set

### Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

**Canfield XL Collection**  
**Canfield XL 60" Ceiling Fan - Oil Brushed Bronze**  
 300188OBB (Oil Brushed Bronze)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_



**Product Information**

Product ID	300188OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Cherry
Collection	Canfield XL Collection


**Airflow, Power and Efficiency**

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	177	8060	98	.69	82
Med	128	5865	129	.51	46
Low	81	3772	171	.35	22

**Specifications**

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	212MM X 25MM
Motor Type	AC

**Dimensions**



Downrod	A	B	C	D
1.00 OD X 4.00	14.02	11.28	13.78	6.30

**Downlight**

Optional Light Kit Available	No
------------------------------	----

**Safety Listings & Certifications**

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

**Installation**

The electrical junction box

**Available Finishes**

# Canfield XL Collection

## Canfield XL 60" Ceiling Fan - Oil Brushed Bronze

300188OBB (Oil Brushed Bronze)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	300188DBK		AMERICAN WALNUT	DARK WALNUT
Brushed Nickel	300188NI		LIGHT WALNUT	LIGHT CHERRY
Oil Brushed Bronze	300188OBB		LIGHT WALNUT	LIGHT CHERRY
Tannery Bronze	300188TZ		TEAK	DARK CHERRY
White	300188WH		WHITE	WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	27.83 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

### Accessory Blade Options

Product ID	Descr
371027	70 Inch Carved Wood Blade Set
371034	70 Inch Carved Wood Blade Set
371050	70 Inch Carved Wood Blade Set
371051	70 Inch Carved Wood Blade Set
371052	70 Inch Carved Wood Blade Set

### Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

**Canfield XL Collection**  
**Canfield XL 60" Ceiling Fan - In Tannery Bronze**  
 300188TZ (Tannery Bronze)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**Product Information**

Product ID	300188TZ
Finish	Tannery Bronze
Blade Finish	Teak/Dark Cherry
Collection	Canfield XL Collection

**Airflow, Power and Efficiency**

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	177	8060	98	.69	82
Med	128	5865	129	.51	46
Low	81	3772	171	.35	22

**Specifications**

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	212MM X 25MM
Motor Type	AC

**Downlight**

Optional Light Kit Available	No
------------------------------	----

**Safety Listings & Certifications**


Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

**Installation**

The electrical junction box



**Dimensions**



Downrod	A	B	C	D
1.00 OD X 4.00	14.02	11.28	13.78	6.30

**Available Finishes**

# Canfield XL Collection

## Canfield XL 60" Ceiling Fan - In Tannery Bronze

300188TZ (Tannery Bronze)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	300188DBK		AMERICAN WALNUT	DARK WALNUT
Brushed Nickel	300188NI		LIGHT WALNUT	LIGHT CHERRY
Oil Brushed Bronze	300188OBB		LIGHT WALNUT	LIGHT CHERRY
Tannery Bronze	300188TZ		TEAK	DARK CHERRY
White	300188WH		WHITE	WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	27.83 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

### Accessory Blade Options

Product ID	Descr
371027	70 Inch Carved Wood Blade Set
371034	70 Inch Carved Wood Blade Set
371050	70 Inch Carved Wood Blade Set
371051	70 Inch Carved Wood Blade Set
371052	70 Inch Carved Wood Blade Set

### Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP



**Canfield XL Collection**  
**Canfield XL 60" Ceiling Fan - In White**  
 300188WH (White)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_



**Product Information**

Product ID	300188WH
Finish	White
Blade Finish	White/White
Collection	Canfield XL Collection


**Airflow, Power and Efficiency**

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	177	8060	98	.69	82
Med	128	5865	129	.51	46
Low	81	3772	171	.35	22

**Specifications**

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	212MM X 25MM
Motor Type	AC

**Dimensions**



Downrod	A	B	C	D
1.00 OD X 4.00	14.02	11.28	13.78	6.30

**Downlight**

Optional Light Kit Available	No
------------------------------	----

**Safety Listings & Certifications**

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

**Available Finishes**

**Installation**

The electrical junction box

# Canfield XL Collection

## Canfield XL 60" Ceiling Fan - In White

300188WH (White)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	300188DBK		AMERICAN WALNUT	DARK WALNUT
Brushed Nickel	300188NI		LIGHT WALNUT	LIGHT CHERRY
Oil Brushed Bronze	300188OBB		LIGHT WALNUT	LIGHT CHERRY
Tannery Bronze	300188TZ		TEAK	DARK CHERRY
White	300188WH		WHITE	WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	27.83 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

### Accessory Blade Options

Product ID	Descr
371027	70 Inch Carved Wood Blade Set
371034	70 Inch Carved Wood Blade Set
371050	70 Inch Carved Wood Blade Set
371051	70 Inch Carved Wood Blade Set
371052	70 Inch Carved Wood Blade Set

### Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP