

Lehr Climates 80" Collection
80 Inch Lehr Fan ANS
310115ANS (Antique Satin Silver)

Project Name:
Location:
Type:
Qty:
Comments:

Product Information

Product ID	310115ANS
Finish	Antique Satin Silver
Blade Finish	Ant Sat Silver/Non-Reversible
Collection	Lehr Climates 80" Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	66	7408	234	.45	32
Med	45	4700	485	.15	10
Low	31	3310	770	.07	4

Specifications

Number of Blades	7
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	80"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 8.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	165L
Motor Type	DC

Downlight

Optional Light Kit Available	No
------------------------------	----


Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Dimensions



Lehr Climates 80" Collection

80 Inch Lehr Fan ANS

310115ANS (Antique Satin Silver)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Satin Silver	310115ANS	N/A	ANT SAT SILVER	NON-REVERSIBLE
Distressed Black	310115DBK	N/A	DISTRESSED BLK	NON-REVERSIBLE
White	310115WH	N/A	WHITE	NON-REVERSIBLE
Coffee Mocha	310115CMO	NONE	COFFEE MOCHA	NON-REVERSIBLE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	30.8 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
370036ALMTR	6 Speed DC Wall Transmitter
370036IVTR	6 Speed DC Wall Transmitter
370036WHTR	6 Speed DC Wall Transmitter

Lehr Climates 80" Collection

80 Inch Lehr Fan CMO

310115CMO (Coffee Mocha)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



Product Information

Product ID	310115CMO
Finish	Coffee Mocha
Blade Finish	Coffee Mocha/Non-Reversible
Collection	Lehr Climates 80" Collection


Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	66	7408	234	.45	32
Med	45	4700	485	.15	10
Low	31	3310	770	.07	4

Specifications

Number of Blades	7
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	80"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 8.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	165L
Motor Type	DC

Dimensions



Downrod	A	B	C	D
1.00 OD X 8.00	15.50	13.50	10.25	6.78

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Lehr Climates 80" Collection

80 Inch Lehr Fan CMO

310115CMO (Coffee Mocha)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Satin Silver	310115ANS	N/A	ANT SAT SILVER	NON-REVERSIBLE
Distressed Black	310115DBK	N/A	DISTRESSED BLK	NON-REVERSIBLE
White	310115WH	N/A	WHITE	NON-REVERSIBLE
Coffee Mocha	310115CMO	NONE	COFFEE MOCHA	NON-REVERSIBLE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	30.8 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
370036ALMTR	6 Speed DC Wall Transmitter
370036IVTR	6 Speed DC Wall Transmitter
370036WHTR	6 Speed DC Wall Transmitter

Lehr Climates 80" Collection

80 Inch Lehr Fan DBK

310115DBK (Distressed Black)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Product Information

Product ID	310115DBK
Finish	Distressed Black
Blade Finish	Distressed Black/Non-Reversible
Collection	Lehr Climates 80" Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	66	7408	234	.45	32
Med	45	4700	485	.15	10
Low	31	3310	770	.07	4

Specifications

Number of Blades	7
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	80"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 8.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	165L
Motor Type	DC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

The electrical junction box



Dimensions



Downrod	A	B	C	D
1.00 OD X 8.00	15.50	13.50	10.25	6.78

Lehr Climates 80" Collection

80 Inch Lehr Fan DBK

310115DBK (Distressed Black)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Satin Silver	310115ANS	N/A	ANT SAT SILVER	NON-REVERSIBLE
Distressed Black	310115DBK	N/A	DISTRESSED BLK	NON-REVERSIBLE
White	310115WH	N/A	WHITE	NON-REVERSIBLE
Coffee Mocha	310115CMO	NONE	COFFEE MOCHA	NON-REVERSIBLE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	30.8 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
370036ALMTR	6 Speed DC Wall Transmitter
370036IVTR	6 Speed DC Wall Transmitter
370036WHTR	6 Speed DC Wall Transmitter

Lehr Climates 80" Collection  
80 Inch Lehr Fan WH  
310115WH (White)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

Product Information

Product ID	310115WH
Finish	White
Blade Finish	White/Non-Reversible
Collection	Lehr Climates 80" Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	66	7408	234	.45	32
Med	45	4700	485	.15	10
Low	31	3310	770	.07	4

Specifications

Number of Blades	7
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	80"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 8.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	165L
Motor Type	DC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds.

Installation requirements

Dimensions



Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Lehr Climates 80" Collection

80 Inch Lehr Fan WH

310115WH (White)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Satin Silver	310115ANS	N/A	ANT SAT SILVER	NON-REVERSIBLE
Distressed Black	310115DBK	N/A	DISTRESSED BLK	NON-REVERSIBLE
White	310115WH	N/A	WHITE	NON-REVERSIBLE
Coffee Mocha	310115CMO	NONE	COFFEE MOCHA	NON-REVERSIBLE

	Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	30.8 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
370036ALMTR	6 Speed DC Wall Transmitter
370036IVTR	6 Speed DC Wall Transmitter
370036WHTR	6 Speed DC Wall Transmitter