

# Hatteras Bay Patio Collection

## Hatteras Bay Patio 60" Ceiling Fan - DBK DBK

310117DBK (Distressed Black)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

### Product Information


Product ID	310117DBK
Finish	Distressed Black
Blade Finish	Walnut/Cherry
Collection	Hatteras Bay Patio Collection

### Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	150	6665	97	.57	69
Med	110	4979	120	.52	41
Low	65	2751	164	.35	17



### Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	17.52	12.90	15.36	5.88

### Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

### Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	3 Spd Wall Control Full Functn
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC

### Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

### Safety Listings & Certifications

# Hatteras Bay Patio Collection

## Hatteras Bay Patio 60" Ceiling Fan - DBK DBK

310117DBK (Distressed Black)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	310117DBK	FRESNEL LENS	LIGHT WALNUT	CHERRY
Tannery Bronze Powder Coat	310117TZP	FRESNEL LENS	LIGHT WALNUT	CHERRY
Weathered Copper Powder Coat	310117WCP	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT
Weathered Zinc	310117WZC	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT

Safety Rated Damp  
 Warranty [www.kichler.com/warranty](http://www.kichler.com/warranty)

### Installation

Installation requirements The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements 120V 60Hz AC

Hanging Weight 32.36 LBS

Minimum Distance Between Bottom Of Fan Blade To Floor 7.5 feet

# Hatteras Bay Patio Collection

## Hatteras Bay Patio 60" Ceiling Fan - TZP TZP

310117TZP (Tannery Bronze Powder Coat)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

### Product Information


Product ID	310117TZP
Finish	Tannery Bronze Powder Coat
Blade Finish	Walnut/Cherry
Collection	Hatteras Bay Patio Collection

### Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	150	6665	97	.57	69
Med	110	4979	120	.52	41
Low	65	2751	164	.35	17



### Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	17.52	12.90	15.36	5.88

### Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	3 Spd Wall Control Full Functn
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC

### Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

### Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

### Safety Listings & Certifications

**Hatteras Bay Patio Collection**  
**Hatteras Bay Patio 60" Ceiling Fan - TZP TZP**  
 310117TZP (Tannery Bronze Powder Coat)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	310117DBK	FRESNEL LENS	LIGHT WALNUT	CHERRY
Tannery Bronze Powder Coat	310117TZP	FRESNEL LENS	LIGHT WALNUT	CHERRY
Weathered Copper Powder Coat	310117WCP	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT
Weathered Zinc	310117WZC	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT

Safety Rated Damp  
 Warranty [www.kichler.com/warranty](http://www.kichler.com/warranty)

**Installation**

Installation requirements The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements 120V 60Hz AC  
 Hanging Weight 32.36 LBS  
 Minimum Distance Between Bottom Of Fan Blade To Floor 7.5 feet

# Hatteras Bay Patio Collection

## Hatteras Bay Patio 60" Ceiling Fan - WCP WCP

310117WCP (Weathered Copper Powder Coat)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

### Product Information


Product ID	310117WCP
Finish	Weathered Copper Powder Coat
Blade Finish	Medium Walnut/Dark Walnut
Collection	Hatteras Bay Patio Collection

### Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	150	6665	97	.57	69
Med	110	4979	120	.52	41
Low	65	2751	164	.35	17



### Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	17.52	12.90	15.36	5.88

### Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	3 Spd Wall Control Full Functn
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC

### Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

### Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

**Hatteras Bay Patio Collection**  
**Hatteras Bay Patio 60" Ceiling Fan - WCP WCP**  
 310117WCP (Weathered Copper Powder Coat)

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Type: \_\_\_\_\_  
 Qty: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Distressed Black	310117DBK	FRESNEL LENS	LIGHT WALNUT	CHERRY
Tannery Bronze Powder Coat	310117TZP	FRESNEL LENS	LIGHT WALNUT	CHERRY
Weathered Copper Powder Coat	310117WCP	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT
Weathered Zinc	310117WZC	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT

**Safety Listings & Certifications**

Safety Rated	Damp
Warranty	www.kichler.com/warranty

**Installation**

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	32.36 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Hatteras Bay Patio Collection  
Hatteras Bay Patio 60" Ceiling Fan - WZC WZC  
310117WZC

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

**Product Information**


Product ID	310117WZC
Blade Finish	Medium Walnut/Dark Walnut
Collection	Hatteras Bay Patio Collection

**Airflow, Power and Efficiency**

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	150	6665	97	.57	69
Med	110	4979	120	.52	41
Low	65	2751	164	.35	17



**Dimensions**



Downrod	A	B	C	D
1.00 OD X 6.00	17.52	12.90	15.36	5.88

**Specifications**

Number of Blades	5
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	3 Spd Wall Control Full Functn
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC

**Downlight**

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

**Available Finishes**

Finish	Fixture	Glass	Blade 1	Blade 2

**Safety Listings & Certifications**

Safety Rated	Damp
--------------	------

Hatteras Bay Patio Collection  
Hatteras Bay Patio 60" Ceiling Fan - WZC WZC  
310117WZC

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Distressed Black	310117DBK	FRESNEL LENS	LIGHT WALNUT	CHERRY
Tannery Bronze Powder Coat	310117TZP	FRESNEL LENS	LIGHT WALNUT	CHERRY
Weathered Copper Powder Coat	310117WCP	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT
Weathered Zinc	310117WZC	FRESNEL LENS	MEDIUM WALNUT	DARK WALNUT

Warranty [www.kichler.com/warranty](http://www.kichler.com/warranty)

**Installation**

Installation requirements The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked "For Fan Support"

Electrical Requirements 120V 60Hz AC

Hanging Weight 32.36 LBS

Minimum Distance Between Bottom Of Fan Blade To Floor 7.5 feet