

Rana Collection
60 Inch Rana Fan MWH
310155MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Product Information

Product ID	310155MWH
Blade Finish	Matte White
Collection	Rana Collection


Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	192	9006	128	.59	71
Med	130	6293	173	.43	37
Low	79	3948	246	.28	16

Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	35 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	3 Speed Wall Control Full Function
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC INDUCTION

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	15.75	14.50	8.75	5.75

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94

Rana Collection
 60 Inch Rana Fan MWH
 310155MWH

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	310155NI	ETCHED CASED OPAL	NICKEL	
Matte White	310155MWH	ETCHED CASED OPAL	MATTE WHITE	
Satin Black	310155SBK	ETCHED CASED OPAL	SATIN BLACK	

Kelvin Temperature 3000 K
 Color Rendering Index 80

Safety Listings & Certifications

Safety Rated Wet
 Energy Star Yes
 Warranty www.kichler.com/warranty

Installation

Installation requirements The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements 120V 60Hz AC
 Hanging Weight 25.10 LBS
 Minimum Distance Between Bottom Of Fan Blade To Floor 7 feet

Rana Collection
60 Inch Rana Fan NI
310155NI (Brushed Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Product Information

Product ID	310155NI
Finish	Brushed Nickel
Blade Finish	Nickel
Collection	Rana Collection


Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	192	9006	128	.59	71
Med	130	6293	173	.43	37
Low	79	3948	246	.28	16

Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	35 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	3 Speed Wall Control Full Function
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC INDUCTION

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	15.75	14.50	8.75	5.75

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000 K
Color Rendering Index	80

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Rana Collection
60 Inch Rana Fan NI
 310155NI (Brushed Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	310155NI	ETCHED CASED OPAL	NICKEL	
Matte White	310155MWH	ETCHED CASED OPAL	MATTE WHITE	
Satin Black	310155SBK	ETCHED CASED OPAL	SATIN BLACK	

Safety Listings & Certifications

Safety Rated	Wet
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	25.10 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7 feet

Rana Collection
60 Inch Rana Fan SBK
 310155SBK (Satin Black)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	310155SBK
Finish	Satin Black
Blade Finish	Satin Black
Collection	Rana Collection

Airflow, Power and Efficiency


Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	192	9006	128	.59	71
Med	130	6293	173	.43	37
Low	79	3948	246	.28	16



Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	35 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	3 Speed Wall Control Full Function
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC INDUCTION

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	15.75	14.50	8.75	5.75

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Downlight Bulb Type	LED
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000 K
Color Rendering Index	80

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Rana Collection
60 Inch Rana Fan SBK
 310155SBK (Satin Black)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	310155NI	ETCHED CASED OPAL	NICKEL	
Matte White	310155MWH	ETCHED CASED OPAL	MATTE WHITE	
Satin Black	310155SBK	ETCHED CASED OPAL	SATIN BLACK	

Safety Listings & Certifications

Safety Rated	Wet
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	25.10 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7 feet