

Canfield Patio Collection
52 Inch Canfield Patio Fan SBK
 310192SBK (Satin Black)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Product Information

Product ID	310192SBK
Finish	Satin Black
Blade Finish	Satin Natural Black/Non-Reversible
Collection	Canfield Patio Collection


Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	186	6338	92	.5	69
Med	129	4520	133	.42	34
Low	58	2363	236	.23	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.25	11.00	12.60	6.25

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Portable Wet
Energy Star	Yes
Warranty	www.kichler.com/warranty

Available Finishes

Installation

Canfield Patio Collection

52 Inch Canfield Patio Fan SBK

310192SBK (Satin Black)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Tannery Bronze Powder Coat	310192TZP	NONE	CHERRY	WALNUT
Weathered Steel Powder Coat	310192WSP	NONE	TEAK	WALNUT
Weathered Copper Powder Coat	310192WCP	NONE	MEDIUM WALNUT	DARK WALNUT
Satin Natural Black	310192SBK		SATIN NATURAL BLACK	SATIN BLACK
White	310192WH		WHITE	WHITE

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	24.2 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
3W500SBK	CoolTouch Control System W500

Canfield Patio Collection
52 Inch Canfield Patio Fan TZP
 310192TZP (Tannery Bronze Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____




Product Information

Product ID	310192TZP
Finish	Tannery Bronze Powder Coat
Blade Finish	Cherry/Walnut
Collection	Canfield Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	186	6338	92	.5	69
Med	129	4520	133	.42	34
Low	58	2363	236	.23	10

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.25	11.00	12.60	6.25

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Portable Wet
Energy Star	Yes
Warranty	www.kichler.com/warranty

Available Finishes

Installation

The electrical junction box

Canfield Patio Collection

52 Inch Canfield Patio Fan TZP

310192TZP (Tannery Bronze Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Tannery Bronze Powder Coat	310192TZP	NONE	CHERRY	WALNUT
Weathered Steel Powder Coat	310192WSP	NONE	TEAK	WALNUT
Weathered Copper Powder Coat	310192WCP	NONE	MEDIUM WALNUT	DARK WALNUT
Satin Natural Black	310192SBK		SATIN NATURAL BLACK	SATIN BLACK
White	310192WH		WHITE	WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	24.2 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
3W500SBK	CoolTouch Control System W500

Canfield Patio Collection
52 Inch Canfield Patio Fan WCP
 310192WCP (Weathered Copper Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____




Product Information

Product ID	310192WCP
Finish	Weathered Copper Powder Coat
Blade Finish	Medium Walnut/Dark Walnut
Collection	Canfield Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	186	6338	92	.5	69
Med	129	4520	133	.42	34
Low	58	2363	236	.23	10

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.25	11.00	12.60	6.25

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Portable Wet
Energy Star	Yes
Warranty	www.kichler.com/warranty

Available Finishes

Installation

Canfield Patio Collection

52 Inch Canfield Patio Fan WCP

310192WCP (Weathered Copper Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Tannery Bronze Powder Coat	310192TZP	NONE	CHERRY	WALNUT
Weathered Steel Powder Coat	310192WSP	NONE	TEAK	WALNUT
Weathered Copper Powder Coat	310192WCP	NONE	MEDIUM WALNUT	DARK WALNUT
Satin Natural Black	310192SBK		SATIN NATURAL BLACK	SATIN BLACK
White	310192WH		WHITE	WHITE

Installation requirements

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements	120V 60Hz AC
Hanging Weight	24.2 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
3W500SBK	CoolTouch Control System W500

Canfield Patio Collection
52 Inch Canfield Patio Fan WH
 310192WH (White)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	310192WH
Finish	White
Blade Finish	White/White
Collection	Canfield Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	186	6338	92	.5	69
Med	129	4520	133	.42	34
Low	58	2363	236	.23	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Portable Wet
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.25	11.00	12.60	6.25

Available Finishes

Canfield Patio Collection

52 Inch Canfield Patio Fan WH

310192WH (White)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Tannery Bronze Powder Coat	310192TZP	NONE	CHERRY	WALNUT
Weathered Steel Powder Coat	310192WSP	NONE	TEAK	WALNUT
Weathered Copper Powder Coat	310192WCP	NONE	MEDIUM WALNUT	DARK WALNUT
Satin Natural Black	310192SBK		SATIN NATURAL BLACK	SATIN BLACK
White	310192WH		WHITE	WHITE

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	24.2 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
3W500SBK	CoolTouch Control System W500

Canfield Patio Collection
52 Inch Canfield Patio Fan WSP
 310192WSP (Weathered Steel Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____




Product Information

Product ID	310192WSP
Finish	Weathered Steel Powder Coat
Blade Finish	Teak/Walnut
Collection	Canfield Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	186	6338	92	.5	69
Med	129	4520	133	.42	34
Low	58	2363	236	.23	10

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.25	11.00	12.60	6.25

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Portable Wet
Energy Star	Yes
Warranty	www.kichler.com/warranty

Available Finishes

Installation

Canfield Patio Collection

52 Inch Canfield Patio Fan WSP

310192WSP (Weathered Steel Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Tannery Bronze Powder Coat	310192TZP	NONE	CHERRY	WALNUT
Weathered Steel Powder Coat	310192WSP	NONE	TEAK	WALNUT
Weathered Copper Powder Coat	310192WCP	NONE	MEDIUM WALNUT	DARK WALNUT
Satin Natural Black	310192SBK		SATIN NATURAL BLACK	SATIN BLACK
White	310192WH		WHITE	WHITE

Installation requirements

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements	120V 60Hz AC
Hanging Weight	24.2 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
3W500SBK	CoolTouch Control System W500