

Bentzen Collection

52 Inch Bentzen Select LED Fan AP

330005AP (Antique Pewter)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

| | |
|--------------|-----------------------------|
| Product ID | 330005AP |
| Finish | Antique Pewter |
| Blade Finish | Weathered White/Dark Cherry |
| Collection | Bentzen Collection |

Airflow, Power and Efficiency

| Speed | RPM | CFM | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High | 157 | 5341 | 83 | .54 | 64 |
| Med | 111 | 3811 | 112 | .4 | 34 |
| Low | 65 | 2330 | 166 | .26 | 14 |

Specifications


| | |
|---------------------------|-----------------------------------|
| Number of Blades | 5 |
| Blades Included | Yes |
| Blade Pitch | 14 Degrees |
| Blade Sweep | 52" |
| Blades Reversible | Yes |
| Blade Material | Wood |
| Optional Blades Available | No |
| Downrod 1 | 1.00 OD X 4.00 |
| Primary Control System | 3 Speed Wall Control Ltd Function |
| Remote Included | No |
| Wall Control Included | Yes |
| Low Ceiling Adaptable | Yes, With Optional Flush Mount |
| Lead Wire Length | 78.00" |
| Motor Size | 172MM X 14MM |
| Motor Type | AC INDUCTION |

Downlight

| | |
|------------------------------|-------------------|
| Downlight Included | Yes |
| Light Source | LED |
| Downlight Bulb Included | Included |
| Downlight Bulb Type | LED |
| Number of Lights/LEDs | 1 |
| Glass Description | Etched Cased Opal |
| Optional Light Kit Available | No |
| Efficacy (LMIW) | 94 |



Dimensions



| Downrod | A | B | C | D |
|----------------|-------|-------|-------|------|
| 1.00 OD X 4.00 | 16.75 | 11.25 | 13.00 | 6.75 |

Available Finishes

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------|---------|-------|---------|---------|
|--------|---------|-------|---------|---------|

Bentzen Collection

52 Inch Bentzen Select LED Fan AP

330005AP (Antique Pewter)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

| | | | | |
|--------------------|-----------|-------------------|-----------------|-------------|
| Antique Pewter | 330005AP | ETCHED CASED OPAL | WEATHERED WHITE | DARK CHERRY |
| Matte White | 330005MWH | ETCHED CASED OPAL | MATTE WHITE | |
| Oil Brushed Bronze | 330005OBB | ETCHED CASED OPAL | MEDIUM CHERRY | DARK WALNUT |

| | |
|-----------------------|--------|
| Kelvin Temperature | 3000 K |
| Color Rendering Index | 80 |

Safety Listings & Certifications

| | |
|--------------|--------------------------|
| Safety Rated | Dry |
| Warranty | www.kichler.com/warranty |

Installation

| | |
|---|---|
| Installation requirements | The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support"" |
| Electrical Requirements | 120V 60Hz AC |
| Hanging Weight | 17.35 LBS |
| Minimum Distance Between Bottom Of Fan Blade To Floor | 7 feet |

Bentzen Collection

52 Inch Bentzen Select LED Fan MWH

330005MWH

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

| | |
|--------------|--------------------|
| Product ID | 330005MWH |
| Blade Finish | Matte White |
| Collection | Bentzen Collection |

Airflow, Power and Efficiency

| Speed | RPM | CFM | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High | 157 | 5341 | 83 | .54 | 64 |
| Med | 111 | 3811 | 112 | .4 | 34 |
| Low | 65 | 2330 | 166 | .26 | 14 |

Specifications


| | |
|---------------------------|-----------------------------------|
| Number of Blades | 5 |
| Blades Included | Yes |
| Blade Pitch | 14 Degrees |
| Blade Sweep | 52" |
| Blades Reversible | Yes |
| Blade Material | Wood |
| Optional Blades Available | No |
| Downrod 1 | 1.00 OD X 4.00 |
| Primary Control System | 3 Speed Wall Control Ltd Function |
| Remote Included | No |
| Wall Control Included | Yes |
| Low Ceiling Adaptable | Yes, With Optional Flush Mount |
| Lead Wire Length | 78.00" |
| Motor Size | 172MM X 14MM |
| Motor Type | AC INDUCTION |

Downlight

| | |
|------------------------------|-------------------|
| Downlight Included | Yes |
| Light Source | LED |
| Downlight Bulb Included | Included |
| Downlight Bulb Type | LED |
| Number of Lights/LEDs | 1 |
| Glass Description | Etched Cased Opal |
| Optional Light Kit Available | No |
| Efficacy (LMIW) | 94 |
| Kelvin Temperature | 3000 K |
| Color Rendering Index | 80 |



Dimensions



| Downrod | A | B | C | D |
|----------------|-------|-------|-------|------|
| 1.00 OD X 4.00 | 16.75 | 11.25 | 13.00 | 6.75 |

Available Finishes

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------|---------|-------|---------|---------|
|--------|---------|-------|---------|---------|

Bentzen Collection

52 Inch Bentzen Select LED Fan MWH

330005MWH

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------------------|-----------|-------------------|-----------------|-------------|
| Antique Pewter | 330005AP | ETCHED CASED OPAL | WEATHERED WHITE | DARK CHERRY |
| Matte White | 330005MWH | ETCHED CASED OPAL | MATTE WHITE | |
| Oil Brushed Bronze | 330005OBB | ETCHED CASED OPAL | MEDIUM CHERRY | DARK WALNUT |

Safety Listings & Certifications

| | |
|--------------|--------------------------|
| Safety Rated | Dry |
| Warranty | www.kichler.com/warranty |

Installation

| | |
|---|---|
| Installation requirements | The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support"" |
| Electrical Requirements | 120V 60Hz AC |
| Hanging Weight | 17.35 LBS |
| Minimum Distance Between Bottom Of Fan Blade To Floor | 7 feet |

Bentzen Collection

52 Inch Bentzen Select LED Fan OBB

330005OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



| Downrod | A | B | C | D |
|----------------|-------|-------|-------|------|
| 1.00 OD X 4.00 | 16.75 | 11.25 | 13.00 | 6.75 |

Available Finishes

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------|---------|-------|---------|---------|
|--------|---------|-------|---------|---------|

Product Information

| | |
|--------------|---------------------------|
| Product ID | 330005OBB |
| Finish | Oil Brushed Bronze |
| Blade Finish | Medium Cherry/Dark Walnut |
| Collection | Bentzen Collection |

Airflow, Power and Efficiency

| Speed | RPM | CFM | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High | 157 | 5341 | 83 | .54 | 64 |
| Med | 111 | 3811 | 112 | .4 | 34 |
| Low | 65 | 2330 | 166 | .26 | 14 |

Specifications

| | |
|---------------------------|-----------------------------------|
| Number of Blades | 5 |
| Blades Included | Yes |
| Blade Pitch | 14 Degrees |
| Blade Sweep | 52" |
| Blades Reversible | Yes |
| Blade Material | Wood |
| Optional Blades Available | No |
| Downrod 1 | 1.00 OD X 4.00 |
| Primary Control System | 3 Speed Wall Control Ltd Function |
| Remote Included | No |
| Wall Control Included | Yes |
| Low Ceiling Adaptable | Yes, With Optional Flush Mount |
| Lead Wire Length | 78.00" |
| Motor Size | 172MM X 14MM |
| Motor Type | AC INDUCTION |

Downlight

| | |
|------------------------------|-------------------|
| Downlight Included | Yes |
| Light Source | LED |
| Downlight Bulb Included | Included |
| Downlight Bulb Type | LED |
| Number of Lights/LEDs | 1 |
| Glass Description | Etched Cased Opal |
| Optional Light Kit Available | No |
| Efficacy (LMIW) | 94 |
| Kelvin Temperature | 3000 K |

Bentzen Collection

52 Inch Bentzen Select LED Fan OBB

330005OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------------------|-----------|-------------------|-----------------|-------------|
| Antique Pewter | 330005AP | ETCHED CASED OPAL | WEATHERED WHITE | DARK CHERRY |
| Matte White | 330005MWH | ETCHED CASED OPAL | MATTE WHITE | |
| Oil Brushed Bronze | 330005OBB | ETCHED CASED OPAL | MEDIUM CHERRY | DARK WALNUT |

Color Rendering Index80

Safety Listings & Certifications

| | |
|--------------|--------------------------|
| Safety Rated | Dry |
| Warranty | www.kichler.com/warranty |

Installation

| | |
|---|---|
| Installation requirements | The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support"" |
| Electrical Requirements | 120V 60Hz AC |
| Hanging Weight | 17.35 LBS |
| Minimum Distance Between Bottom Of Fan Blade To Floor | 7 feet |