

Motu Collection
60 Inch Motu Fan MWH
 330010MWH

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	330010MWH
Blade Finish	Matte White
Collection	Motu Collection

Airflow, Power and Efficiency


Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	256	11891	120	.84	100
Med	153	7129	160	.57	45
Low	36	1828	212	.26	9



Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	35 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	4 Speed Wall Slide Control
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Motor Size	188MM X 25MM
Motor Type	AC INDUCTION

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	14.50	14.50	8.75	5.75

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked "For Fan Support"

Installation requirements

Motu Collection
60 Inch Motu Fan MWH
 330010MWH

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	330010MWH		MATTE WHITE	
Satin Black	330010SBK		SATIN BLACK	
Brushed Nickel	330010NI		NICKEL	

Electrical Requirements	120V 60Hz AC
Hanging Weight	24.00 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	10 feet

Motu Collection
60 Inch Motu Fan NI
 330010NI (Brushed Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____




Product Information

Product ID	330010NI
Finish	Brushed Nickel
Blade Finish	Nickel
Collection	Motu Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	256	11891	120	.84	100
Med	153	7129	160	.57	45
Low	36	1828	212	.26	9

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	14.50	14.50	8.75	5.75

Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	35 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	4 Speed Wall Slide Control
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC INDUCTION

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Installation

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds.

Installation requirements

Motu Collection
60 Inch Motu Fan NI
 330010NI (Brushed Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	330010MWH		MATTE WHITE	
Satin Black	330010SBK		SATIN BLACK	
Brushed Nickel	330010NI		NICKEL	

Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements	120V 60Hz AC
Hanging Weight	24.00 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	10 feet

Motu Collection
60 Inch Motu Fan SBK
 330010SBK (Satin Black)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	330010SBK
Finish	Satin Black
Blade Finish	Satin Black
Collection	Motu Collection

Airflow, Power and Efficiency


Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	256	11891	120	.84	100
Med	153	7129	160	.57	45
Low	36	1828	212	.26	9



Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	35 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	4 Speed Wall Slide Control
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC INDUCTION

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	14.50	14.50	8.75	5.75

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds.

Installation requirements

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Motu Collection
60 Inch Motu Fan SBK
 330010SBK (Satin Black)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	330010MWH		MATTE WHITE	
Satin Black	330010SBK		SATIN BLACK	
Brushed Nickel	330010NI		NICKEL	

Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements	120V 60Hz AC
Hanging Weight	24.00 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	10 feet