


Terra Select Collection
52" Terra Select Ceiling Fan BAP
 330248BAP

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	14.00	12.00	12.60	6.70

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Product Information

Product ID	330248BAP
Blade Finish	Dark Cherry/Weathr Wht WInt
Collection	Terra Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	156	5283	77	.56	66
Med	110	3549	105	.42	33
Low	55	1819	188	.22	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B8
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
--------------	-----

Terra Select Collection
52" Terra Select Ceiling Fan BAP
 330248BAP

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	330248MWH	WHITE ETCHED	MATTE WHITE	WETHRD WHT WLNT
Brushed Nickel	330248NI	WHITE ETCHED	SILVER	WALNUT
Oil Brushed Bronze	330248OBB	UMBER ETCHED	WALNUT	CHERRY
Burnished Antique Pewter	330248BAP	WHITE ETCHED	DARK CHERRY	WETHRD WHT WLNT

Warranty www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	18.46 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Terra Select Collection
52" Terra Select Ceiling Fan MWH
 330248MWH

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____




Product Information

Product ID	330248MWH
Blade Finish	Matte White/Weathr Wht Wlnt
Collection	Terra Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	156	5283	77	.56	66
Med	110	3549	105	.42	33
Low	55	1819	188	.22	10

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	14.00	12.00	12.60	6.70

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B8
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	White Etched
Optional Light Kit Available	No

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Safety Listings & Certifications

Safety Rated	Dry
--------------	-----

Terra Select Collection
52" Terra Select Ceiling Fan MWH
 330248MWH

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	330248MWH	WHITE ETCHED	MATTE WHITE	WETHRD WHT WLNT
Brushed Nickel	330248NI	WHITE ETCHED	SILVER	WALNUT
Oil Brushed Bronze	330248OBB	UMBER ETCHED	WALNUT	CHERRY
Burnished Antique Pewter	330248BAP	WHITE ETCHED	DARK CHERRY	WETHRD WHT WLNT

Warranty www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	18.46 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Terra Select Collection
52" Terra Select Ceiling Fan NI
 330248NI (Brushed Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____




Product Information

Product ID	330248NI
Finish	Brushed Nickel
Blade Finish	Silver/Walnut
Collection	Terra Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	156	5283	77	.56	66
Med	110	3549	105	.42	33
Low	55	1819	188	.22	10

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	14.00	12.00	12.60	6.70

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B8
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	White Etched
Optional Light Kit Available	No

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Safety Listings & Certifications

Terra Select Collection
52" Terra Select Ceiling Fan NI
 330248NI (Brushed Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	330248MWH	WHITE ETCHED	MATTE WHITE	WETHRD WHT WLNT
Brushed Nickel	330248NI	WHITE ETCHED	SILVER	WALNUT
Oil Brushed Bronze	330248OBB	UMBER ETCHED	WALNUT	CHERRY
Burnished Antique Pewter	330248BAP	WHITE ETCHED	DARK CHERRY	WETHRD WHT WLNT

Safety Rated Dry
 Warranty www.kichler.com/warranty

Installation

Installation requirements The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements 120V 60Hz AC
 Hanging Weight 18.46 LBS
 Minimum Distance Between Bottom Of Fan Blade To Floor 7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Terra Select Collection
52" Terra Select Ceiling Fan OBB
 330248OBB (Oil Brushed Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____




Product Information

Product ID	330248OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Cherry
Collection	Terra Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	156	5283	77	.56	66
Med	110	3549	105	.42	33
Low	55	1819	188	.22	10

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	14.00	12.00	12.60	6.70

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 14MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B8
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	Umber Etched
Optional Light Kit Available	No

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Safety Listings & Certifications

Terra Select Collection

52" Terra Select Ceiling Fan OBB

330248OBB (Oil Brushed Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	330248MWH	WHITE ETCHED	MATTE WHITE	WETHRD WHT WLNT
Brushed Nickel	330248NI	WHITE ETCHED	SILVER	WALNUT
Oil Brushed Bronze	330248OBB	UMBER ETCHED	WALNUT	CHERRY
Burnished Antique Pewter	330248BAP	WHITE ETCHED	DARK CHERRY	WETHRD WHT WLNT

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
---------------------------	---

Electrical Requirements	120V 60Hz AC
Hanging Weight	18.46 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic