

Klever Collection
Klever Patio Ceiling Fan Motor MWH
 337018MWH

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Product Information

Product ID	337018MWH
Collection	Klever Collection

Specifications

Blade Pitch	14 Degrees
Blades Reversible	No
Optional Blades Available	Yes
Downrod 1	1.00 OD X 6.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC


Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	13.75	12.35	9.70	5.90

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	337018MWH			

Klever Collection
Klever Patio Ceiling Fan Motor MWH
337018MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Weathered Copper Powder Coat	337018WCP			

Accessory Blade Options

Product ID	Descr
370051	ABS Bamboo Blade Set
370052	ABS Bamboo Blades Set
371060	Climates ABS Palm Blade

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Klever Collection
Klever Patio Ceiling Fan Motor WCP
 337018WCP (Weathered Copper Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Product Information

Product ID	337018WCP
Finish	Weathered Copper Powder Coat
Collection	Klever Collection

Specifications

Blade Pitch	14 Degrees
Blades Reversible	No
Optional Blades Available	Yes
Downrod 1	1.00 OD X 6.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Motor Size	188MM X 25MM
Motor Type	AC


Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	13.75	12.35	9.70	5.90

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Matte White	337018MWH			

Klever Collection
Klever Patio Ceiling Fan Motor WCP
 337018WCP (Weathered Copper Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Weathered Copper Powder Coat	337018WCP			

Accessory Blade Options

Product ID	Descr
370051	ABS Bamboo Blade Set
370052	ABS Bamboo Blades Set
371060	Climates ABS Palm Blade

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP