

Monarch II Select Collection
52 Inch Monarch II Select BAP
 339213BAP

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	339213BAP
Blade Finish	Cherry/Dark Cherry
Collection	Monarch II Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	174	5716	79	.63	73
Med	112	3560	112	.42	32
Low	59	1759	180	.23	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	3 Speed Cooltouch Ltd Function
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 17MM
Motor Type	AC


Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	Satin Etched
Optional Light Kit Available	No

Safety Listings & Certifications



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	18.50	12.75	13.75	6.70

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Monarch II Select Collection
52 Inch Monarch II Select BAP
 339213BAP

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	339213OBB	ANTIQUE BARLEY	WALNUT	LIGHT CHERRY
Olde Bronze	339213OZ	PINE BARK	WALNUT	LIGHT CHERRY
Tannery Bronze	339213TZ	ANTIQUE BARLEY	TEAK	MEDIUM CHERRY
Burnished Antique Pewter	339213BAP	SATIN ETCHED	CHERRY	DARK CHERRY

Safety Rated _____ Dry
 Warranty _____ www.kichler.com/warranty

Installation

Installation requirements _____ The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""

Electrical Requirements _____ 120V 60Hz AC

Hanging Weight _____ 24.6 LBS

Minimum Distance Between Bottom Of Fan Blade To Floor _____ 7.5 feet

Control Options

Product ID	Descr
370039MULTR	Wall Transmitter L-Function
371042MUL	56K Wall Control System Basic

Monarch II Select Collection
52 Inch Monarch II Select Fan OBB
 339213OBB (Oil Brushed Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	339213OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Light Cherry
Collection	Monarch II Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	174	5716	79	.63	73
Med	112	3560	112	.42	32
Low	59	1759	180	.23	10

Specifications


Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	3 Speed Cooltouch Ltd Function
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 17MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	Antique Barley
Optional Light Kit Available	No



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	18.50	12.75	13.75	6.70

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Monarch II Select Collection
52 Inch Monarch II Select Fan OBB
 339213OBB (Oil Brushed Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Oil Brushed Bronze	339213OBB	ANTIQUE BARLEY	WALNUT	LIGHT CHERRY
Olde Bronze	339213OZ	PINE BARK	WALNUT	LIGHT CHERRY
Tannery Bronze	339213TZ	ANTIQUE BARLEY	TEAK	MEDIUM CHERRY
Burnished Antique Pewter	339213BAP	SATIN ETCHED	CHERRY	DARK CHERRY

Control Options

Product ID	Descr
370039MULTR	Wall Transmitter L-Function
371042MUL	56K Wall Control System Basic

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	24.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Monarch II Select Collection
52 Inch Monarch II Select Fan OZ
 339213OZ (Olde Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Product Information

Product ID	339213OZ
Finish	Olde Bronze
Blade Finish	Walnut/Light Cherry
Collection	Monarch II Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	174	5716	79	.63	73
Med	112	3560	112	.42	32
Low	59	1759	180	.23	10

Specifications


Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	3 Speed Cooltouch Ltd Function
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 17MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	Pine Bark
Optional Light Kit Available	No



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	18.50	12.75	13.75	6.70

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Monarch II Select Collection
52 Inch Monarch II Select Fan OZ
 339213OZ (Olde Bronze)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Oil Brushed Bronze	339213OBB	ANTIQUE BARLEY	WALNUT	LIGHT CHERRY
Olde Bronze	339213OZ	PINE BARK	WALNUT	LIGHT CHERRY
Tannery Bronze	339213TZ	ANTIQUE BARLEY	TEAK	MEDIUM CHERRY
Burnished Antique Pewter	339213BAP	SATIN ETCHED	CHERRY	DARK CHERRY

Control Options

Product ID	Descr
370039MULTR	Wall Transmitter L-Function
371042MUL	56K Wall Control System Basic

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	24.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet