


6U Series LED Collection  
6U LED 2700K/3000K Cabinet Light - 22" BZT  
6UCSK22BZT

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



### Dimensions

Height	1.00"
Length	22.00"
Width	4.25"

### Ordering Information

Product ID	6UCSK22BZT
Available Finishes	BZT, NIT, WHT
Collection	6U Series LED Collection

### Dimensions

Weight	2.00 LBS
--------	----------

### Photometrics

Kelvin Temperature	2700/3000 K
Color Rendering Index	93
Volt AMPERE	14.8

### Specifications

Material	Aluminum
----------	----------

### Electrical

Dimmable	Yes
Input Voltage	Single(120)
Switch Type	On-Off, Rocker

### Qualifications

Safety Rated	Dry
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

### Installation

Wire Connectors	Wire Nuts
Direct Wire	Yes
Knockouts	0.5 in
Number of Knockouts	7
Modular	Yes

### Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	735/735
Delivered Efficacy	52
Dimming	Yes

6U Series LED Collection  
6U LED 2700K/3000K Cabinet Light - 22" WHT  
6UCSK22WHT (Textured White)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



### Ordering Information

Product ID	6UCSK22WHT
Finish	Textured White
Available Finishes	BZT, NIT, WHT
Collection	6U Series LED Collection

### Dimensions

Weight	2.00 LBS
--------	----------

### Photometrics

Kelvin Temperature	2700/3000 K
Color Rendering Index	93
Volt AMPERE	14.8

### Specifications

Material	Aluminum
----------	----------

### Electrical

Dimmable	Yes
Input Voltage	Single(120)
Switch Type	On-Off, Rocker

### Qualifications

Safety Rated	Dry
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

### Installation

Wire Connectors	Wire Nuts
Direct Wire	Yes
Knockouts	0.5 in
Number of Knockouts	7
Modular	Yes

### Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	735/735
Delivered Efficacy	52
Dimming	Yes

### Dimensions


Height	1.00"
Length	22.00"
Width	4.25"

#### Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

6U Series LED Collection  
6U LED 2700K/3000K Cabinet Light - 22" NIT  
6UCSK22NIT

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_



### Dimensions

Height	1.00"
Length	22.00"
Width	4.25"

### Ordering Information

Product ID	6UCSK22NIT
Available Finishes	BZT, NIT, WHT
Collection	6U Series LED Collection

### Dimensions

Weight	2.00 LBS
--------	----------

### Photometrics

Kelvin Temperature	2700/3000 K
Color Rendering Index	93
Volt AMPERE	14.8

### Specifications

Material	Aluminum
----------	----------

### Electrical

Dimmable	Yes
Input Voltage	Single(120)
Switch Type	On-Off, Rocker

### Qualifications

Safety Rated	Dry
Title 24	Yes
Expected Life Span	40000 Hours
Warranty	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

### Installation

Wire Connectors	Wire Nuts
Direct Wire	Yes
Knockouts	0.5 in
Number of Knockouts	7
Modular	Yes

### Primary Lamping

Light Source	LED
Lamp Included	Integrated
Delivered Lumens	735/735
Delivered Efficacy	52
Dimming	Yes

**Notes:**

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.