


# RAINSHOWER® RUSTIC 160

MODEL # 27130000

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3  
Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude  
an Wasser



C

### Product Description:

#### Standard Specification:


- GROHE EcoJoy
- GROHE StarLight** chrome finish  
**SpeedClean** anti-lime system  
suitable for instantaneous heater  
min. recommended pressure 0.5 bar

#### Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

#### Color:

- 27130000 000 chrome




# RAINSHOWER® RUSTIC 160

MODEL # 27130BE0

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3  
Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude  
an Wasser



### Product Description:

#### Standard Specification:


- GROHE EcoJoy
- GROHE StarLight chrome finish
- SpeedClean anti-lime system
- suitable for instantaneous heater
- min. recommended pressure 0.5 bar

#### Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

#### Color:

- 27130BE0 BE0 sterling / brilliant nickel




# RAINSHOWER® RUSTIC 160

MODEL # 27130EN0

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3  
 Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude  
an Wasser



### Product Description:

#### Standard Specification:


- GROHE EcoJoy
- GROHE StarLight chrome finish
- SpeedClean anti-lime system
- suitable for instantaneous heater
- min. recommended pressure 0.5 bar

#### Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

#### Color:

- 27130EN0 EN0 brushed nickel




# RAINSHOWER® RUSTIC 160

MODEL # 27130ZB0

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3  
Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude  
an Wasser



C

### Product Description:

#### Standard Specification:

- GROHE EcoJoy
- GROHE StarLight chrome finish
- SpeedClean anti-lime system
- suitable for instantaneous heater
- min. recommended pressure 0.5 bar

#### Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

#### Color:

- 27130ZB0 ZB0 oil rubbed bronze

