


Information

- Floor-mount installation
- Aerated flow rate ≤ 1.2 max gpm
- 9-19/16" spout reach
- 39-3/8-40-1/4" maximum spout height
- Drain assembly not included
- ADA
- CALGreen

GN-3625-LM36N TARGA Series









Finishes



24K Gold





24K Brushed Architectural Gold Black





Brushed Nickel



Matte Black



Polished Chrome



Polished Nickel



SteeInox® (Satin Nickel)








Product Features

- Mud guard displays minimum and maximum floor depth
- Rough can be installed in any orientation making it convenient to route pipes to the rough
- Trim can be rotated 360 degrees in any directions
- Averages 10 GPM with most trim


Warranty

• Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs







Information

- Floor-mount installation
- Aerated flow rate ≤ 1.2 max gpm
- 9-19/16" spout reach
- 39-3/8-40-1/4" maximum spout height
- Drain assembly not included
- ADA
- CALGreen

Finishes



24K Gold



Gold



24K Brushed Architectural Black



Brushed Nickel



Matte Black



Polished Chrome



Polished Nickel



SteeInox® (Satin Nickel)



Architectural White

GN-3625-LM36N TARGA Series

