

AQ2.000SG-LM39E0





Information

- 3/4" thermostatic valve and trim
- 3/4" 3-way diverter valve and trim
- Rainfall, rain curtain and cascade water functions
- Showerhead features no-clog, easy-clean spray nozzles
- Wall-mounted, battery-powered controller and holder; controls LED chromotherapy lighting
- Optional extension kit
- Showerhead flow rate ≤ 1.8 gpm
- ADA





Information

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Polished Chrome





Product Features

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8043-LM39E-T



Information

- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve
- ADA



Polished Chrome





Product Features

- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve


Available Finishes

- Polished Chrome G-8043-LM39E-PC-T
- Brushed Nickel G-8043-LM39E-BNi-T
- Polished Nickel
 G-8043-LM39E-PN-T
- Steelnox*G-8043-LM39E-SN-T*
- Olive Bronze*
 G-8043-LM39E-OB-T*

Warranty


Limited lifetime warranty

For complete warranty information go to http://www.graff-designs.com/en/info/faqs



SHOWER
Three-Way Diverter Control Valve
WITH Off Function (No PassThrough)





Information

G-8053

- ~11.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Operates one function at a time
- Stacking inlet feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions



Polished Chrome





Product Features

- 3/4" universal inlets/outlets with female threads
- Stacking inlet feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty


Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs










Information

- Single metal handle
- Decorative trim plate
- Use with G-8053 3-way diverter control rough valve WITH off function
- To complete package, you must order rough valve
- ADA



Polished Chrome





Information

- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



Polished Chrome







- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

Available Finishes

 Stainless Polished G-8221-SP

Code Compliance

CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs

17-11/16" (450 mm)

23-5/8" (600 mm)