

# **AQ4.000SC-LM31E0**





## **Information**

- 3/4" thermostatic valve and trim
- 3/4" stop/volume control valve and trim (3 pieces)
- Rainfall, rain curtain and cascade water functions
- Showerhead features no-clog, easy-clean spray nozzles
- Wall-mounted, battery-powered controller and holder; controls LED chromotherapy lighting
- Optional extension kit
- Showerhead flow rate ≤ 1.8 gpm
- ADA





# Information

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Polished Chrome





## Product Features

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


# Code Compliance


• CALGreen

# Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8043-LM31E-T



# **Information**

- Single metal handle and decorative trim plateUse with G-8006 thermostatic rough valve
- ADA



Polished Chrome





# **Product Features**

- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve


# Available Finishes

- Polished Chrome G-8043-LM31E-PC-T
- Steelnox G-8043-LM31E-SN-T
- Architectual Black w/ Chrome Accents
  G-8043-LM31E-PC/BK-T\*

## Warranty

Limited lifetime warranty


For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



<sup>\*</sup> Special order finish- call for availability



G-8076



# **Information**

- 12.3 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Polished Chrome





# **Product Features**

- 13.2 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


# Code Compliance


• CALGreen

## Warranty

Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8098-LM31E1-T




# **Information**


- Single metal handle and decorative trim plateUse with G-8006 thermostatic rough valve
- ADA




Polished Chrome

# G-8098-LM31E1-T SOLAR Series














# Information

- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



Polished Chrome







- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

# Available Finishes

 Stainless Polished G-8221-SP

## Code Compliance

CALGreen

#### Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs

17-11/16" (450 mm)

23-5/8" (600 mm)