$60 \times 34 \times 90$  inches



### **FEATURES**

- Integral dome
- Multiple integral toiletry shelves
- Sculpted armrests
- Slip-resistant floor
- Premium cast acrylic surface
- 5-year limited warranty





# AQUATIC The bath people

## WM260

60 x 34 x 90

BASE MODEL	PKG. WT. LBS.	SEAT	DRAIN	MODEL#	MSLP
□ Tub-shower	175	0	Left	WM260L	\$2,544
□ Tub-shower	175	0	Right	<b>WM260</b> R	\$2,544



OPTIONS (x = insert desired option code)	ENTER DESIRED OPTION CODE	MSLP
Cast acrylic stock color (COLxx): White (WH)		No charge
Cast acrylic color upgrade (COLxx): Biscuit (BI)		\$35
Cast acrylic premium color upgrade (COLUxx): Black (BK) Sterling Silver (ST)		\$389
Cable drive waste & overflow: Chrome (CDCHCD)		\$345
Cable drive waste & overflow, color-matched (CDxxxxx): Biscuit (BICD) White (WHCD)		\$390
Cable drive waste & overflow (CDxxxxx): Oil Rubbed Bronze (OBCD) Polished Brass (BRCD) Brushed Nickel (SNCD		\$440
Dome Light - ready to install (DLNI)		\$160
Chromatherapy Lights (CLO4)		\$904
Residential delivery* (DELRD)		\$205
Residential delivery with lift gate* (DELLG)		\$454
*For program terms and conditions, see page iii.		
SHOWER DOORS OPTIONS: Glass/Finish		
Clear/Brushed Nickel (LO517-54SCLBN)		\$767
Clear/Silver (LO517-54SCLSV)		\$539
Obscure/Brushed Nickel (LO517-54SOBBN)		\$700
Obscure/Silver (LO517-54SOBSV)		\$472
BASE PRICE (insert MSLP of base model selected in upper table) + \$		
OPTIONS SUB TOTAL \$		
ORDER TOTAL = \$		

## CAST ACRYLIC SHOWERS & TUB-SHOWERS

#### **PRODUCT FEATURES**

- · Integral dome
- · Sculpted armrest
- · Multiple toiletry shelves

For series features see section page.

#### **ORDERING KEY**

In the part number, "xx" means an option code must be inserted.

Cost Acrylic stock color (COLxx): ← part number


option code → White (WH)

**Example:** COLxx + WH = COLWH
Cast Acrylic stock color in White

Manufacturer reserves the right to discontinue models, colors, options and trim finishes without notice.

Additional Information:





FEATURES lbs Dimensional Tolerance ± 3/8". Dimensions needed for site preparation should be measured from the unit. Aquatic assumes no responsibility for preparatory work.


Type and Model #W	Material	Wall Finish	Pieces	Drain	Seats	Lights	Pkg. Wt.
Tub-Shower #WM260L/R	Cast Acrylic	Smooth Wall	1	LH or RH	-	Optional	175

#### DIMENSIONS

Specifications	inches
Width: Overall / Net	60
Depth: Overall / Net	34
Height: Overall / Net	90
Enclosure Opening	55 W x 70 H
Skirt Height	17
Drain Rough-In (from Back Wall)	17 3/4
Drain Rough-In (from Side Wall)	3 1/4
Drain: Diameter / Clearance	2 / 3/4

#### FRAMING DIMENSIONS inches

Туре	<b>D</b> Depth	<b>W</b> Width	<b>H</b> Height	<b>A</b> Box-Out	В	С
Alcove	34	58	_	6 x 12	3 1/4	17 3/4



#### SUMP DATA

Top of Drain to	Capacity	Min. Operating Capacity – gal	WIDTH @	centerline	DEPTH @ centerline	
Bottom of Overflow	to Overtlow gal		Тор	Bottom	Тор	Bottom
1 1 3/8	44.2	-	50 <b>%</b>	43 <b>½</b>	26 <b>½</b>	24